

PAIMER FULMER & CO

DOORS

SASH



BLINDS

CHICAGO

Cor. West 22d and Union Streets.

CHICAGO:

Rand, McNally & Co., Printers, Engravers and Electrotypers.

1892.

125-
PRICE CURRENT.

FEBRUARY 1, 1892.

PALMER, FULLER & Co.

WHOLESALE MANUFACTURERS OF

Sash, Doors, Blinds,

STAIRS,

STAIR RAILING, BALUSTERS AND POSTS,

MOULDINGS, ETC.,

COR. WEST TWENTY-SECOND AND UNION STS.

Chicago, Ill.

P. S.—In order to reach our Manufactory and Office from the principal Hotels in the City, take either the South Halsted Street or Canalport Avenue and Canal Street Horse Cars, which leave from corner State and Randolph Streets.

Doors 5543

Open Door 65454

Slu. " 654545

CHICAGO, February 1, 1892.

DEAR SIR:

We take pleasure in again presenting to the trade herewith our Price Current.

We solicit your custom for the coming season. Our intentions are to give the details of the manufacturing, handling, and shipment of our goods even greater care than in the past, and to make our prices low, and our goods the best in the market.

Estimates, Price Lists, Moulding Books, or any information in our line, furnished on application.

Inviting a personal inspection of our stock, and hoping to be favored with your orders, we are,

Yours truly,

PALMER, FULLER & CO.

Please observe the following Directions in giving orders, as it will often avoid errors and unnecessary delays.

Orders for Sash should state the size of glass, number of lights in a window, thickness, if plain or check rail, glazed or unglazed. For segment or circle corner windows, always give the radius of the segment or circle corner. For circle head, segment head, and circle corner windows, ALWAYS STATE whether they are wanted to finish circle inside and outside like Plans Nos. 1 and 3, on page 6, or to finish circle on outside only, as Plans Nos. 2 and 4 on same page. Also where frames are made, the width and height of frame in the clear should be given.

Orders for Doors should state size, thickness, number of panels; if six panels, state if three panels wide or three panels high, and if first or second quality; if moulded, say if one or both sides, sunk or raised moulding.

Orders for Outside Blinds should state size of glass, number of lights in window; thickness of Blinds; if for segment head windows, give radius of segment; also if for wood or brick building.

Orders for Inside Blinds should state exact size of opening, the number of folds (width of box, if any), and if panels or slats.

Orders for Mouldings should give the number of Moulding, and STATE PARTICULARLY THE DATE OF THE BOOK FROM WHICH IT IS TAKEN.

We will deliver our goods and load in cars (with our own men), free of charge, to any lumber-yard in the city, and would request our customers to order Doors, Sash, Blinds, etc., DIRECTLY OF US, which will insure their receiving our own manufacture and prompt attention. In giving such orders, we would suggest to our trade to always order our goods a little in advance of their Lumber, and NOTIFY THEIR LUMBERMEN of the fact of our having goods to be loaded in their cars.

OBSERVE DIRECTIONS ON PAGE 5 IN GIVING YOUR ORDERS.

Always give the *radius* of the *segment*, otherwise the regular radius, which is the width of the window, will be made.



For Window Frames, Circle inside and outside.

1



For Window Frames, Circle outside, Square inside.

2



For Window Frames, Segment inside and outside.

3



For Window Frames, Segment outside, Square inside.

4

PLAIN RAIL SASH.

Twelve-Lighted Windows.

| Size of Glass. | Thick- ness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. | | | |
|-------------------|-----------------|-------------------------------|---------------------------------|-----------------|--------|-----|-------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. | In. | Ft. | In. |
| 7 × 9 | 1 1-8 | .48 | 1.50 | 2 | 1 × 3 | 4 | 4 1/2 |
| 8 × 10 | " | .63 | 1.90 | 2 | 4 × 3 | 9 | 9 1/4 |
| 8 × 12 | " | .67 | 2.20 | 2 | 4 × 4 | 6 | |
| 8 × 14 | " | .74 | 2.55 | 2 | 4 × 5 | 2 | |
| 8 × 16 | " | .81 | 2.90 | 2 | 4 × 5 | 10 | |
| 9 × 12 | " | .76 | 2.50 | 2 | 7 × 4 | 6 | |
| 9 × 13 | " | .79 | 2.65 | 2 | 7 × 4 | 10 | |
| 9 × 14 | " | .79 | 2.85 | 2 | 7 × 5 | 2 | |
| 9 × 15 | " | .83 | 3.00 | 2 | 7 × 5 | 6 | |
| 9 × 16 | " | .85 | 3.15 | 2 | 7 × 5 | 10 | |
| 9 × 18 | " | .90 | 3.90 | 2 | 7 × 6 | 6 | |
| 10 × 12 | " | .78 | 2.70 | 2 | 10 × 4 | 6 | |
| 10 × 14 | " | .81 | 3.05 | 2 | 10 × 5 | 2 | |
| 10 × 15 | " | .85 | 3.25 | 2 | 10 × 5 | 6 | |
| 10 × 16 | " | .89 | 3.85 | 2 | 10 × 5 | 10 | |
| 10 × 18 | " | .95 | 4.30 | 2 | 10 × 6 | 6 | |
| 10 × 20 | " | 1.05 | 4.75 | 2 | 10 × 7 | 2 | |
| 12 × 14 | " | 1.02 | 4.15 | 3 | 4 × 5 | 2 | |
| 12 × 16 | " | 1.08 | 4.60 | 3 | 4 × 5 | 10 | |
| 12 × 18 | " | 1.16 | 5.10 | 3 | 4 × 6 | 6 | |

1 3/8 Plain Rail Windows same price as 1 3/8 Check Windows,

PLAIN RAIL SASH.

Eight-Lighted Windows.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. |
|----------------|------------|-------------------------|---------------------------|-----------------|
| Inches. | Inches. | cts. | \$ cts. | Ft. In. Ft. In. |
| 8 × 10 | 1 1-8 | .58 | 1.45 | 1 8½ × 3 9¼ |
| 8 × 12 | " | .61 | 1.65 | 1 8½ × 4 6 |
| 8 × 14 | " | .68 | 1.90 | 1 8½ × 5 2 |
| 8 × 16 | " | .72 | 2.10 | 1 8½ × 5 10 |
| 9 × 12 | " | .68 | 1 85 | 1 10½ × 4 6 |
| 9 × 14 | " | .72 | 2 10 | 1 10½ × 5 2 |
| 9 × 16 | " | .78 | 2.35 | 1 10½ × 5 10 |
| 10 × 12 | " | .70 | 2.00 | 2 0½ × 4 6 |
| 10 × 14 | " | .74 | 2.25 | 2 0½ × 5 2 |
| 10 × 16 | " | .79 | 2.80 | 2 0½ × 5 10 |
| 10 × 18 | " | .88 | 3.10 | 2 0½ × 6 6 |
| 12 × 14 | " | .84 | 2.90 | 2 4½ × 5 2 |
| 12 × 16 | " | .92 | 3.25 | 2 4½ × 5 10 |
| 12 × 18 | " | .99 | 3.60 | 2 4½ × 6 6 |

1½ Plain Rail Windows same price as 1½ Check Windows.

CHECK RAIL SASH.

Eight-Lighted Windows.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. | |
|----------------|------------|-------------------------|---------------------------|-----------------|---------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. In. | Ft. In. |
| 9 × 12 | 1 3-8 | .74 | 1.90 | 1 11 × 4 | 6 6 |
| 9 × 14 | " | .87 | 2.25 | 1 11 × 5 | 2 2 |
| 9 × 16 | " | .97 | 2.50 | 1 11 × 5 | 10 10 |
| 9 × 18 | " | 1.10 | 3.10 | 1 11 × 6 | 6 6 |
| 10 × 12 | " | .74 | 2.05 | 2 1 × 4 | 6 6 |
| 10 × 14 | " | .87 | 2.35 | 2 1 × 5 | 2 2 |
| 10 × 16 | " | .97 | 2.95 | 2 1 × 5 | 10 10 |
| 10 × 18 | " | 1.10 | 3.35 | 2 1 × 6 | 6 6 |
| 10 × 20 | " | 1.26 | 3.75 | 2 1 × 7 | 2 2 |
| 12 × 14 | " | .92 | 3.00 | 2 5 × 5 | 2 2 |
| 12 × 16 | " | 1.05 | 3.40 | 2 5 × 5 | 10 10 |
| 12 × 18 | " | 1.20 | 3.85 | 2 5 × 6 | 6 6 |
| 12 × 20 | " | 1.37 | 4.35 | 2 5 × 7 | 2 2 |
| 14 × 16 | " | 1.22 | 4.00 | 2 9 × 5 | 10 10 |
| 14 × 18 | " | 1.35 | 4.45 | 2 9 × 6 | 6 6 |
| 14 × 20 | " | 1.52 | 4.95 | 2 9 × 7 | 2 2 |
| 14 × 22 | " | 1.73 | 5.45 | 2 9 × 7 | 10 10 |
| 14 × 24 | " | 1.94 | 6.00 | 2 9 × 8 | 6 6 |
| 10 × 16 | 1 3-4 | 1.75 | 3.75 | 2 1 × 5 | 10 10 |
| 10 × 18 | " | 1.89 | 4.10 | 2 1 × 6 | 6 6 |
| 10 × 20 | " | 2.05 | 4.55 | 2 1 × 7 | 2 2 |
| 12 × 14 | " | 1.71 | 3.80 | 2 5 × 5 | 2 2 |
| 12 × 16 | " | 1.84 | 4.20 | 2 5 × 5 | 10 10 |
| 12 × 18 | " | 1.98 | 4.60 | 2 5 × 6 | 6 6 |
| 12 × 20 | " | 2.15 | 5.15 | 2 5 × 7 | 2 2 |
| 12 × 22 | " | 2.26 | 5.55 | 2 5 × 7 | 10 10 |
| 12 × 24 | " | 2.47 | 6.05 | 2 5 × 8 | 6 6 |
| 14 × 16 | " | 2.08 | 4.90 | 2 9 × 5 | 10 10 |
| 14 × 18 | " | 2.14 | 5.20 | 2 9 × 6 | 6 6 |
| 14 × 20 | " | 2.31 | 5.75 | 2 9 × 7 | 2 2 |
| 14 × 22 | " | 2.52 | 6.25 | 2 9 × 7 | 10 10 |
| 14 × 24 | " | 2.73 | 6.80 | 2 9 × 8 | 6 6 |

Segment Head, 1 $\frac{3}{8}$ thick, add 60 cents; 1 $\frac{1}{2}$ thick, add 80 cents.

Half Circle Head, 1 $\frac{3}{8}$ thick, add \$1.20; 1 $\frac{1}{2}$ thick, add \$1.50.

Sizes not given above, extra price.

CHECK RAIL SASH.

Twelve-Lighted Windows.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. | |
|----------------|------------|-------------------------|---------------------------|-----------------|---------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. In. | Ft. In. |
| 8 × 10 | 1 3-8 | .82 | 2.10 | 2 4½ | 3 10 |
| 8 × 12 | " | .92 | 2.45 | 2 4½ | 4 6 |
| 8 × 14 | " | 1.03 | 2.85 | 2 4½ | 5 2 |
| 8 × 16 | " | 1.16 | 3.25 | 2 4½ | 5 10 |
| 9 × 12 | " | 1.08 | 2.80 | 2 7½ | 4 6 |
| 9 × 13 | " | 1.13 | 3.00 | 2 7½ | 4 10 |
| 9 × 14 | " | 1.19 | 3.25 | 2 7½ | 5 2 |
| 9 × 15 | " | 1.25 | 3.45 | 2 7½ | 5 6 |
| 9 × 16 | " | 1.31 | 3.65 | 2 7½ | 5 10 |
| 9 × 18 | " | 1.46 | 4.45 | 2 7½ | 6 6 |
| 10 × 12 | " | 1.24 | 3.15 | 2 10½ | 4 6 |
| 10 × 14 | " | 1.34 | 3.60 | 2 10½ | 5 2 |
| 10 × 15 | " | 1.41 | 3.85 | 2 10½ | 5 6 |
| 10 × 16 | " | 1.47 | 4.45 | 2 10½ | 5 10 |
| 10 × 18 | " | 1.62 | 4.95 | 2 10½ | 6 6 |
| 10 × 20 | " | 1.79 | 5.50 | 2 10½ | 7 2 |
| 10 × 22 | " | 2.00 | 6.00 | 2 10½ | 7 10 |
| 10 × 24 | " | 2.21 | 6.65 | 2 10½ | 8 6 |
| 12 × 14 | " | 1.66 | 4.80 | 3 4½ | 5 2 |
| 12 × 16 | " | 1.79 | 5.30 | 3 4½ | 5 10 |
| 12 × 18 | " | 1.93 | 5.85 | 3 4½ | 6 6 |
| 12 × 20 | " | 2.10 | 6.55 | 3 4½ | 7 2 |
| 12 × 22 | " | 2.31 | 7.25 | 3 4½ | 7 10 |
| 12 × 24 | " | 2.52 | 7.90 | 3 4½ | 8 6 |

For price of 1¾-inch Windows, add 75 cents each to above list.

CHECK RAIL SASH.

Four-Lighted Windows.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. |
|----------------|------------|-------------------------|---------------------------|-----------------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. In. Ft. In. |
| 10 × 20 | 1 3-8 | .63 | 1.85 | 2 1 × 3 10 |
| 10 × 22 | " | .68 | 2.00 | 2 1 × 4 2 |
| 10 × 24 | " | .74 | 2.25 | 2 1 × 4 6 |
| 10 × 26 | " | .79 | 2.40 | 2 1 × 4 10 |
| 10 × 28 | " | .84 | 2.55 | 2 1 × 5 2 |
| 10 × 30 | " | .90 | 2.75 | 2 1 × 5 6 |
| 10 × 32 | " | .97 | 3.50 | 2 1 × 5 10 |
| 10 × 34 | " | 1.03 | 3.80 | 2 1 × 6 2 |
| 10 × 36 | " | 1.11 | 4.00 | 2 1 × 6 6 |
| 12 × 20 | " | .71 | 2.20 | 2 5 × 3 10 |
| 12 × 22 | " | .77 | 2.40 | 2 5 × 4 2 |
| 12 × 24 | " | .82 | 2.60 | 2 5 × 4 6 |
| 12 × 26 | " | .87 | 2.80 | 2 5 × 4 10 |
| 12 × 28 | " | .92 | 2.95 | 2 5 × 5 2 |
| 12 × 30 | " | .99 | 3.80 | 2 5 × 5 6 |
| 12 × 32 | " | 1.05 | 4.00 | 2 5 × 5 10 |
| 12 × 34 | " | 1.11 | 4.25 | 2 5 × 6 2 |
| 12 × 36 | " | 1.20 | 4.50 | 2 5 × 6 6 |
| 12 × 38 | " | 1.28 | 4.80 | 2 5 × 6 10 |
| 12 × 40 | " | 1.37 | 5.25 | 2 5 × 7 2 |
| 12 × 42 | " | 1.47 | 5.60 | 2 5 × 7 6 |
| 12 × 44 | " | 1.58 | 6.20 | 2 5 × 7 10 |
| 12 × 46 | " | 1.68 | 6.50 | 2 5 × 8 2 |
| 12 × 48 | " | 1.79 | 6.60 | 2 5 × 8 6 |

(Continued on next page.)

Windows, with glass 11 inches wide, same price as 12-inch.

Windows, with glass 13 and 13½ inches wide, same price as 14-inch.

CHECK RAIL SASH.

Four-Lighted Windows—Continued.

| Size of Glass. | Thick-ness. | Price per Window, Open. | Price Glazed, Single Strength. | Price Glazed, Double Strength. | Size of Window. |
|----------------|-------------|-------------------------|--------------------------------|--------------------------------|-----------------|
| Inches. | Inches. | \$ cts. | \$ cts. | \$ cts. | Ft. In. Ft. In. |
| 14 × 24 | 1 3-8 | .98 | 3.00 | | 2 9 × 4 6 |
| 14 × 26 | " | 1.03 | 3.25 | | 2 9 × 4 10 |
| 14 × 28 | " | 1.08 | 4.05 | | 2 9 × 5 2 |
| 14 × 30 | " | 1.14 | 4.45 | | 2 9 × 5 6 |
| 14 × 32 | " | 1.21 | 4.70 | 6.05 | 2 9 × 5 10 |
| 14 × 34 | " | 1.27 | 5.00 | 6.45 | 2 9 × 6 2 |
| 14 × 36 | " | 1.35 | 5.35 | 6.90 | 2 9 × 6 6 |
| 14 × 38 | " | 1.43 | 5.55 | 7.25 | 2 9 × 6 10 |
| 14 × 40 | " | 1.52 | 5.95 | 7.80 | 2 9 × 7 2 |
| 14 × 42 | " | 1.63 | 6.85 | 8.75 | 2 9 × 7 6 |
| 14 × 44 | " | 1.73 | 6.95 | 8.85 | 2 9 × 7 10 |
| 14 × 46 | " | 1.84 | 7.50 | 9.60 | 2 9 × 8 2 |
| 14 × 48 | " | 1.94 | 7.90 | 10.25 | 2 9 × 8 6 |
| 15 × 24 | " | 1.13 | 3.45 | 4.35 | 2 11 × 4 6 |
| 15 × 26 | " | 1.19 | 4.25 | 5.40 | 2 11 × 4 10 |
| 15 × 28 | " | 1.24 | 4.65 | 5.95 | 2 11 × 5 2 |
| 15 × 30 | " | 1.30 | 4.90 | 6.30 | 2 11 × 5 6 |
| 15 × 32 | " | 1.37 | 5.20 | 6.70 | 2 11 × 5 10 |
| 15 × 34 | " | 1.43 | 5.55 | 7.15 | 2 11 × 6 2 |
| 15 × 36 | " | 1.51 | 6.10 | 8.00 | 2 11 × 6 6 |
| 15 × 38 | " | 1.60 | 6.20 | 8.10 | 2 11 × 6 10 |
| 15 × 40 | " | 1.68 | 7.05 | 9.00 | 2 11 × 7 2 |

(Continued on next page.)

CHECK RAIL SASH.

Four-Lighted Windows—Continued.

| Size of Glass. | Thickness. | Price per Window, Open. | Price Glazed, Single Strength. | Price Glazed, Double Strength. | Size of Window. |
|----------------|------------|-------------------------|--------------------------------|--------------------------------|-----------------|
| Inches. | Inches. | \$ cts. | \$ cts. | \$ cts. | Ft. In. Ft. In. |
| 15 × 42 | 1 3-8 | 1.79 | 7.65 | 9.80 | 2 11 × 7 6 |
| 15 × 44 | " | 1.89 | 7.75 | 9.90 | 2 11 × 7 10 |
| 15 × 46 | " | 2.00 | 8.80 | 11.45 | 2 11 × 8 2 |
| 15 × 48 | " | 2.10 | 8.90 | 11.55 | 2 11 × 8 6 |
| 12 × 30 | 1 3-4 | 1.74 | 4.55 | 5.60 | 2 5 × 5 6 |
| 12 × 32 | " | 1.80 | 4.75 | 5.90 | 2 5 × 5 10 |
| 12 × 34 | " | 1.86 | 5.00 | 6.15 | 2 5 × 6 2 |
| 12 × 36 | " | 1.95 | 5.25 | 6.50 | 2 5 × 6 6 |
| 12 × 38 | " | 2.03 | 5.55 | 6.90 | 2 5 × 6 10 |
| 12 × 40 | " | 2.12 | 6 00 | 7.55 | 2 5 × 7 2 |
| 14 × 30 | " | 1.89 | 5.20 | 6.45 | 2 9 × 5 6 |
| 14 × 32 | " | 1.96 | 5.45 | 6.80 | 2 9 × 5 10 |
| 14 × 34 | " | 2.02 | 5.75 | 7.20 | 2 9 × 6 2 |
| 14 × 36 | " | 2.10 | 6.10 | 7.65 | 2 9 × 6 6 |
| 14 × 38 | " | 2.18 | 6.20 | 8.00 | 2 9 × 6 10 |
| 14 × 40 | " | 2.27 | 6.70 | 8.55 | 2 9 × 7 2 |
| 14 × 42 | " | 2.38 | 7.60 | 9.50 | 2 9 × 7 6 |
| 14 × 44 | " | 2.48 | 7.70 | 9.60 | 2 9 × 7 10 |
| 14 × 46 | " | 2.59 | 8.25 | 10.35 | 2 9 × 8 2 |
| 14 × 48 | " | 2.69 | 8.65 | 11.00 | 2 9 × 8 6 |

Segment Head, $1\frac{3}{8}$ thick, add 60c.; $1\frac{3}{4}$ thick, add 80c.; Half Circle Head, $1\frac{3}{8}$ thick, add \$1.20; $1\frac{3}{4}$ thick, add \$1.50. Sizes not given, extra price. All Four-Light Windows plowed and bored. For Windows $1\frac{3}{4}$ inch, where not listed, add 75c. to list of $1\frac{3}{8}$ inch.

CHECK RAIL SASH.

Two-Lighted Windows.

| Size of Glass. | Thick-ness. | Price per Window, Open. | Price, Glazed, Single Strength. | Price, Glazed, Double Strength. | Size of Window. | | | |
|----------------|-------------|-------------------------|---------------------------------|---------------------------------|-----------------|-----|-----|-----|
| Inches. | Inches. | \$ cts. | \$ cts. | \$ cts. | Ft. | In. | Ft. | In. |
| 16 × 24 | 1 3-8 | .74 | 1.90 | 2.40 | 1 | 8½ | 4 | 6 |
| 16 × 26 | " | .79 | 2.45 | 3.10 | 1 | 8½ | 4 | 10 |
| 16 × 28 | " | .84 | 2.60 | 3.25 | 1 | 8½ | 5 | 2 |
| 16 × 30 | " | .90 | 2.75 | 3.50 | 1 | 8½ | 5 | 6 |
| 16 × 32 | " | .97 | 3.00 | 3.75 | 1 | 8½ | 5 | 10 |
| 16 × 34 | " | 1.03 | 3.20 | 4.00 | 1 | 8½ | 6 | 2 |
| 16 × 36 | " | 1.11 | 3.35 | 4.25 | 1 | 8½ | 6 | 6 |
| 18 × 24 | " | .74 | 2.40 | 3.05 | 1 | 10½ | 4 | 6 |
| 18 × 26 | " | .79 | 2.55 | 3.20 | 1 | 10½ | 4 | 10 |
| 18 × 28 | " | .84 | 2.85 | 3.60 | 1 | 10½ | 5 | 2 |
| 18 × 30 | " | .90 | 2.90 | 3.65 | 1 | 10½ | 5 | 6 |
| 18 × 32 | " | .97 | 3.15 | 3.95 | 1 | 10½ | 5 | 10 |
| 18 × 34 | " | 1.03 | 3.45 | 4.45 | 1 | 10½ | 6 | 2 |
| 18 × 36 | " | 1.11 | 3.75 | 4.80 | 1 | 10½ | 6 | 6 |
| 18 × 38 | " | 1.25 | 4.10 | 5.15 | 1 | 10½ | 6 | 10 |
| 18 × 40 | " | 1.26 | 4.40 | 5.50 | 1 | 10½ | 7 | 2 |
| 20 × 24 | " | .74 | 2.60 | 3.30 | 2 | 0½ | 4 | 6 |
| 20 × 26 | " | .79 | 2.80 | 3.55 | 2 | 0½ | 4 | 10 |
| 20 × 28 | " | .84 | 3.00 | 3.85 | 2 | 0½ | 5 | 2 |
| 20 × 30 | " | .90 | 3.25 | 4.15 | 2 | 0½ | 5 | 6 |

(Continued on next page.)

For Windows 1¾ thick, add 75 cents each.

All Two-Lighted Windows plowed and bored for weights.

For Windows prepared for Oil Finish, add 30 cents to the list.

CHECK RAIL SASH.

Two-Lighted Windows—Continued.

| Size of Glass. | Thick-ness. | Price per Window, Open. | Price, Glazed, Single Strength. | Price, Glazed, Double Strength. | Size of Window. | | | |
|----------------|-------------|-------------------------|---------------------------------|---------------------------------|-----------------|-----------|-----|-----|
| Inches. | Inches. | \$ cts. | \$ cts. | \$ cts. | Ft. | In. | Ft. | In. |
| 20 × 32 | 1 3-8 | .97 | 3.60 | 4.70 | 2 | 0 1/8 × 5 | 10 | |
| 20 × 34 | " | 1.03 | 3.65 | 4.75 | 2 | 0 1/8 × 6 | 2 | |
| 20 × 36 | " | 1.11 | 4.25 | 5.35 | 2 | 0 1/8 × 6 | 6 | |
| 20 × 38 | " | 1.25 | 4.35 | 5.50 | 2 | 0 1/8 × 6 | 10 | |
| 20 × 40 | " | 1.26 | 4.75 | 6.00 | 2 | 0 1/8 × 7 | 2 | |
| 22 × 24 | " | .82 | 2.85 | 3.60 | 2 | 2 1/8 × 4 | 6 | |
| 22 × 26 | " | .87 | 3.05 | 3.85 | 2 | 2 1/8 × 4 | 10 | |
| 22 × 28 | " | .92 | 3.25 | 4.15 | 2 | 2 1/8 × 5 | 2 | |
| 22 × 30 | " | .99 | 3.60 | 4.70 | 2 | 2 1/8 × 5 | 6 | |
| 22 × 32 | " | 1.05 | 3.95 | 5.15 | 2 | 2 1/8 × 5 | 10 | |
| 22 × 34 | " | 1.11 | 4.25 | 5.40 | 2 | 2 1/8 × 6 | 2 | |
| 22 × 36 | " | 1.20 | 4.65 | 5.95 | 2 | 2 1/8 × 6 | 6 | |
| 22 × 38 | " | 1.33 | 4.80 | 6.05 | 2 | 2 1/8 × 6 | 10 | |
| 22 × 40 | " | 1.37 | 5.45 | 7.10 | 2 | 2 1/8 × 7 | 2 | |
| 22 × 42 | " | 1.47 | 5.55 | 7.20 | 2 | 2 1/8 × 7 | 6 | |
| 22 × 44 | " | 1.58 | 6.25 | 8.10 | 2 | 2 1/8 × 7 | 10 | |
| 22 × 46 | " | 1.68 | 6.35 | 8.20 | 2 | 2 1/8 × 8 | 2 | |
| 22 × 48 | " | 1.79 | 6.50 | 8.30 | 2 | 2 1/8 × 8 | 6 | |
| 24 × 24 | " | .82 | 3.15 | 4.05 | 2 | 4 1/8 × 4 | 6 | |
| 24 × 26 | " | .87 | 3.20 | 4.10 | 2 | 4 1/8 × 4 | 10 | |

(Continued on next page.)

For Windows 1 3/4 inch thick, add 75 cents each.

All Two-Lighted Windows plowed and bored for weights.

For Windows prepared for Oil Finish, add 30 cents to the list.

CHECK RAIL SASH.

Two-Lighted Windows—Continued.

| Size of Glass. | Thick-ness. | Price per Window, Open. | Price, Glazed, Single Strength. | Price, Glazed, Double Strength. | Size of Window. | | |
|----------------|-------------|-------------------------|---------------------------------|---------------------------------|-----------------|--------|---------|
| Inches. | Inches. | \$ cts. | \$ cts. | \$ cts. | Ft. | In. | Ft. In. |
| 24 × 28 | 1 3-8 | .92 | 3.55 | 4.65 | 2 | 4½ × 5 | 2 |
| 24 × 30 | " | .99 | 3.90 | 5.05 | 2 | 4½ × 5 | 6 |
| 24 × 32 | " | 1.05 | 4.15 | 5.30 | 2 | 4½ × 5 | 10 |
| 24 × 34 | " | 1.11 | 4.60 | 5.85 | 2 | 4½ × 6 | 2 |
| 24 × 36 | " | 1.20 | 4.65 | 5.95 | 2 | 4½ × 6 | 6 |
| 24 × 38 | " | 1.33 | 5.45 | 7.05 | 2 | 4½ × 6 | 10 |
| 24 × 40 | " | 1.37 | 5.50 | 7.10 | 2 | 4½ × 7 | 2 |
| 24 × 42 | " | 1.47 | 6.15 | 8.00 | 2 | 4½ × 7 | 6 |
| 24 × 44 | " | 1.58 | 6.30 | 8.10 | 2 | 4½ × 7 | 10 |
| 24 × 46 | " | 1.68 | 6.40 | 8.20 | 2 | 4½ × 8 | 2 |
| 24 × 48 | " | 1.79 | 7.90 | 10.05 | 2 | 4½ × 8 | 6 |
| 26 × 30 | " | 1.14 | 4.60 | 5.90 | 2 | 6½ × 5 | 6 |
| 26 × 32 | " | 1.21 | 4.70 | 5.95 | 2 | 6½ × 5 | 10 |
| 26 × 34 | " | 1.27 | 5.15 | 6.60 | 2 | 6½ × 6 | 2 |
| 26 × 36 | " | 1.35 | 5.45 | 7.05 | 2 | 6½ × 6 | 6 |
| 26 × 38 | " | 1.49 | 6.20 | 8.00 | 2 | 6½ × 6 | 10 |
| 26 × 40 | " | 1.52 | 6.25 | 8.05 | 2 | 6½ × 7 | 2 |
| 26 × 42 | " | 1.63 | 6.35 | 8.15 | 2 | 6½ × 7 | 6 |
| 26 × 44 | " | 1.73 | 7.20 | 9.35 | 2 | 6½ × 7 | 10 |
| 26 × 46 | " | 1.84 | 7.95 | 10.10 | 2 | 6½ × 8 | 2 |
| 26 × 48 | " | 1.94 | 8.05 | 10.20 | 2 | 6½ × 8 | 6 |
| 28 × 30 | " | 1.14 | 4.60 | 5.90 | 2 | 8½ × 5 | 6 |

(Continued on next page.)

For Windows 1¾ inch thick, add 75 cents each.

All Two-Lighted Windows plowed and bored for weights.

For Windows prepared for Oil Finish, add 30 cents to the list.

CHECK RAIL SASH.

Two-Lighted Windows—Continued.

| Size of Glass. | Thick-ness. | Price per Window, Open. | Price, Glazed, Single Strength. | Price, Glazed, Double Strength. | Size of Window. | | | |
|----------------|-------------|-------------------------|---------------------------------|---------------------------------|-----------------|-----|-----|-----|
| Inches. | Inches | \$ cts. | \$ cts. | \$ cts. | Ft. | In. | Ft. | In. |
| 28 × 32 | 1 3-8 | 1.21 | 5.10 | 6.55 | 2 | 8½ | 5 | 10 |
| 28 × 34 | " | 1.27 | 5.35 | 7.00 | 2 | 8½ | 6 | 2 |
| 28 × 36 | " | 1.35 | 6.05 | 7.90 | 2 | 8½ | 6 | 6 |
| 28 × 38 | " | 1.49 | 6.20 | 8.00 | 2 | 8½ | 6 | 10 |
| 28 × 40 | " | 1.52 | 6.25 | 8.05 | 2 | 8½ | 7 | 2 |
| 28 × 42 | " | 1.63 | 7.10 | 9.25 | 2 | 8½ | 7 | 6 |
| 28 × 44 | " | 1.73 | 7.85 | 10.00 | 2 | 8½ | 7 | 10 |
| 28 × 46 | " | 1.84 | 7.95 | 10.10 | 2 | 8½ | 8 | 2 |
| 28 × 48 | " | 1.94 | 9.30 | 11.85 | 2 | 8½ | 8 | 6 |
| 30 × 32 | " | 1.37 | 5.45 | 7.10 | 2 | 10½ | 5 | 10 |
| 30 × 34 | " | 1.43 | 6.10 | 7.95 | 2 | 10½ | 6 | 2 |
| 30 × 36 | " | 1.51 | 6.20 | 8.05 | 2 | 10½ | 6 | 6 |
| 30 × 38 | " | 1.65 | 6.35 | 8.20 | 2 | 10½ | 6 | 10 |
| 30 × 40 | " | 1.68 | 7.15 | 9.30 | 2 | 10½ | 7 | 2 |
| 30 × 42 | " | 1.79 | 7.90 | 10.05 | 2 | 10½ | 7 | 6 |
| 30 × 44 | " | 1.89 | 8.00 | 10.15 | 2 | 10½ | 7 | 10 |
| 30 × 46 | " | 2.00 | 9.35 | 11.90 | 2 | 10½ | 8 | 2 |
| 30 × 48 | " | 2.10 | 9.45 | 12.00 | 2 | 10½ | 8 | 6 |
| 30 × 50 | " | 2.26 | 9.60 | 12.20 | 2 | 10½ | 8 | 10 |

For Windows 1¾ thick, add 75 cents each.

Segment Head, 1¾ thick, add 60 cents; 1¾ thick, add 80 cents; Half

Circle Head, 1¾ thick, add \$1.20; 1¾ thick, add \$1.50.

All Two-Lighted Windows plowed and bored for weights.

For Windows prepared for Oil Finish, add 30 cents to the list.

Sizes not given, extra price.

Marginal Light Sash.

For unglazed Marginal Light Sash, add 5 cents per light, net, to open list of regular Windows.

TRANSOM SASH.—One and Two Lights.

| Size of Sash. | | | Thick- ness. | Price per Sash, Open. | Price 2 Light, Glazed. | Price 1 Light, Glazed. | Size of Glass. |
|---------------|----|------|-----------------|-----------------------------|------------------------------|------------------------------|----------------------|
| Ft. | in | in. | Inches. | cts. | \$ cts. | \$ cts. | Inches |
| 2 | 6 | × 12 | 1 3-8 | .35 | .85 | 1.05 | 13 × 8 |
| 2 | 6 | × 14 | " | .40 | .95 | 1.15 | 13 × 10 |
| 2 | 6 | × 16 | " | .40 | 1.10 | 1.30 | 13 × 12 |
| 2 | 8 | × 12 | " | .45 | .95 | 1.15 | 14 × 8 |
| 2 | 8 | × 14 | " | .45 | 1.05 | 1.25 | 14 × 10 |
| 2 | 8 | × 16 | " | .45 | 1.20 | 1.40 | 14 × 12 |
| 2 | 8 | × 18 | " | .45 | 1.30 | 1.50 | 14 × 14 |
| 2 | 10 | × 14 | " | .50 | 1.10 | 1.30 | 15 × 10 |
| 2 | 10 | × 16 | " | .50 | 1.30 | 1.50 | 15 × 12 |
| 2 | 10 | × 18 | " | .50 | 1.45 | 1.65 | 15 × 14 |
| 3 | 0 | × 14 | " | .50 | 1.20 | 1.40 | 16 × 10 |
| 3 | 0 | × 16 | " | .55 | 1.40 | 1.60 | 16 × 12 |
| 3 | 0 | × 18 | " | .55 | 1.50 | 1.80 | 16 × 14 |
| 3 | 0 | × 20 | " | .60 | 1.70 | 2.00 | 16 × 16 |

ONE AND TWO LIGHTS.

| Size of Sash | Thick- ness. | Price per Sash, Open. | 2 Light Glazed, Single Strength. | 1 Light Glazed, Single Strength. | 1 Light Glazed, Double Strength. |
|--------------|-----------------|--------------------------|---|---|---|
| | Inches. | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 4 0×16 | 1 3-8 | .70 | 1.75 | 2.15 | 2.65 |
| 4 0×18 | " | .75 | 1.90 | 2.40 | 3.05 |
| 4 0×20 | " | .80 | 2.25 | 2.75 | 3.55 |
| 4 6×18 | " | .85 | 2.20 | 2.90 | 3.80 |
| 4 6×20 | " | .90 | 2.95 | 3.20 | 4.20 |
| 4 6×22 | " | .95 | 3.10 | 3.50 | 4.65 |
| 4 6×24 | " | 1 00 | 3.35 | 3.95 | 5.10 |
| 5 0×18 | " | 1 00 | 2.85 | | 4.60 |
| 5 0×20 | " | 1.05 | 3.20 | | 5.05 |
| 5 0×22 | " | 1.10 | 3.50 | | 5.65 |
| 5 0×24 | " | 1.15 | 3.70 | | 6.40 |
| 5 6×20 | " | 1.20 | 3.55 | | 5.75 |
| 5 6×24 | " | 1.30 | 4.45 | | 6.70 |
| 6 0×20 | " | 1.35 | 3 90 | | 6.05 |
| 6 0×24 | " | 1.45 | 4 55 | | 8.15 |

For Transoms $1\frac{1}{4}$ thick, 30×20 and under, add 40 cents each; larger sizes, 80 cents. Segment Top $1\frac{1}{4}$ thick, 4 feet and under in width, add 60 cents. Segment Top $1\frac{1}{4}$ thick, over 4 feet in width, add 80 cents. Segment Top $1\frac{1}{4}$ thick, 4 feet and under in width, add 85 cents. Segment Top $1\frac{1}{4}$ thick, over 4 feet in width, add \$1.10. For circle end Transoms $1\frac{1}{4}$ thick, add 65 cents. For circle end Transoms $1\frac{1}{4}$ thick, add 90 cents.

PANTRY CHECK RAIL SASH.

Four-Lighted Windows, One Light Wide.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. | |
|----------------|------------|-------------------------|---------------------------|-----------------|---------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. In. | Ft. In. |
| 9 × 12 | 1 3-8 | .74 | 1.40 | 1 0½ × 4 | 6 |
| 9 × 14 | " | .84 | 1.65 | 1 0½ × 5 | 2 |
| 9 × 16 | " | .97 | 1.85 | 1 0½ × 5 | 10 |
| 12 × 14 | " | .84 | 2.00 | 1 4½ × 5 | 2 |
| 12 × 16 | " | .97 | 2.35 | 1 4½ × 5 | 10 |
| 12 × 18 | " | 1.11 | 2.65 | 1 4½ × 6 | 6 |

PANTRY CHECK RAIL SASH.

Two-Lighted Windows, One Light Wide.

| Size of Glass. | Thickness. | Price per Window, Open. | Price per Window, Glazed. | Size of Window. | |
|----------------|------------|-------------------------|---------------------------|-----------------|---------|
| Inches. | Inches. | \$ cts. | \$ cts. | Ft. In. | Ft. In. |
| 12 × 24 | 1 3-8 | .74 | 1.75 | 1 4½ × 4 | 6 |
| 12 × 26 | " | .79 | 1.90 | 1 4½ × 4 | 10 |
| 12 × 28 | " | .84 | 2.10 | 1 4½ × 5 | 2 |
| 12 × 30 | " | .90 | 2.55 | 1 4½ × 5 | 6 |
| 12 × 32 | " | .97 | 2.70 | 1 4½ × 5 | 10 |
| 12 × 34 | " | 1.03 | 2.85 | 1 4½ × 6 | 2 |
| 12 × 36 | " | 1.11 | 3.05 | 1 4½ × 6 | 6 |
| 14 × 24 | " | .74 | 1.90 | 1 6½ × 4 | 6 |
| 14 × 26 | " | .79 | 2.05 | 1 6½ × 4 | 10 |
| 14 × 28 | " | .84 | 2.60 | 1 6½ × 5 | 2 |
| 14 × 30 | " | .90 | 2.85 | 1 6½ × 5 | 6 |
| 14 × 32 | " | .97 | 3.00 | 1 6½ × 5 | 10 |
| 14 × 34 | " | 1.03 | 3.25 | 1 6½ × 6 | 2 |
| 14 × 36 | " | 1.11 | 3.45 | 1 6½ × 6 | 6 |

All Two-Lighted Windows plowed and bored.

SIDE LIGHTS FOR DOORS.

With Moulded Panel below.

| Width. | Height. | Thickness. | Price per Pair, Unglazed. | Price per Pair, Glazed. |
|---------|---------|------------|---------------------------|-------------------------|
| Inches. | Ft. In. | Inches. | \$ cts. | \$ cts. |
| 12 | 6 10 | 1 3-8 | 3.20 | 4.70 |
| 12 | 7 0 | " | 3.20 | 4.90 |
| 12 | 7 6 | " | 3.40 | 5.25 |
| 14 | 6 10 | " | 3.40 | 5.25 |
| 14 | 7 0 | " | 3.60 | 5.50 |
| 14 | 7 6 | " | 3.90 | 5.90 |
| 14 | 8 0 | " | 4.25 | 6.50 |

Above prices are for either two or three lights in each Sash. 10-inch same price as 12-inch. Subject to Door discount.

HOT-BED SASH.

Made for 6 or 7 inch Glass. Odd sizes, extra price.

| Size of Sash. | | Thickness. | Price per Sash, Unglazed. | Price per Sash, Glazed. |
|---------------|---------|------------|---------------------------|-------------------------|
| Ft. In. | Ft. In. | Inches. | \$ cts. | \$ cts. |
| 3 0 | × 6 0 | 1 3-8 | 2.00 | 4.25 |
| 3 0 | × 6 0 | 1 3-4 | 2.50 | 5.00 |

FOUR-LIGHT BARN SASH.

| Size of Glass. | Thickness. | Price per Sash, Unglazed. | Price per Sash, Glazed. |
|----------------|------------|---------------------------|-------------------------|
| Inches. | inches. | cts. | \$ cts. |
| 8 × 10 | 1 1-8 | .32 | .90 |
| 9 × 12 | " | .38 | 1.10 |
| 9 × 14 | " | .45 | 1.30 |
| 9 × 16 | " | .45 | 1.45 |
| 10 × 12 | " | .43 | 1.25 |
| 10 × 14 | " | .50 | 1.45 |

FIFTEEN AND EIGHTEEN-LIGHT WINDOWS.

For 15-Light Windows, add to price of 12-Light Windows, one-third.
 For 18-Light Windows, add to price of 12-Light Windows, two-thirds.

STORM SASH.

Made to order. Special prices.

CELLAR SASH.

Two Lights.

| Size of Glass. | Thickness. | Price per Sash, Open. | Price, Glazed. | Size of Sash. |
|----------------|------------|-----------------------|----------------|-----------------|
| Inches. | Inches. | cts. | \$ cts. | Ft. In. Inches. |
| 10 × 12 | 1 3-8 | .35 | .80 | 2 1 × 16 |
| 10 × 14 | " | .35 | .90 | 2 1 × 18 |
| 10 × 16 | " | .45 | 1.10 | 2 1 × 20 |
| 10 × 18 | " | .45 | 1.20 | 2 1 × 22 |
| 12 × 12 | " | .40 | .95 | 2 5 × 16 |
| 12 × 14 | " | .45 | 1.15 | 2 5 × 18 |
| 12 × 16 | " | .45 | 1.25 | 2 5 × 20 |
| 12 × 18 | " | .50 | 1.35 | 2 5 × 22 |
| 12 × 20 | " | .55 | 1.50 | 2 5 × 24 |
| 14 × 16 | " | .50 | 1.40 | 2 9 × 20 |
| 14 × 18 | " | .55 | 1.55 | 2 9 × 22 |
| 14 × 20 | " | .60 | 1.70 | 2 9 × 24 |
| 14 × 22 | " | .65 | 1.80 | 2 9 × 26 |
| 14 × 24 | " | .70 | 1.95 | 2 9 × 28 |

CELLAR SASH.

Three Lights.

| Size of Glass. | Thickness. | Price per Sash, Open. | Price, Single Glazed. | Price, Double Glazed. | Size of Sash. |
|----------------|------------|-----------------------|-----------------------|-----------------------|-----------------|
| Inches. | Inches. | cts. | \$ cts. | \$ cts. | Ft. In. Ft. In. |
| 7 × 9 | 1 1-8 | .25 | .75 | 1.25 | 2 1 × 1 1 |
| 8 × 10 | " | .30 | .85 | 1.40 | 2 4 × 1 2 |
| 9 × 12 | " | .35 | 1.00 | 1.65 | 2 7 × 1 4 |
| 9 × 13 | " | .35 | 1.05 | 1.75 | 2 7 × 1 5 |
| 9 × 14 | " | .40 | 1.15 | 1.90 | 2 7 × 1 6 |
| 9 × 15 | " | .40 | 1.15 | 1.90 | 2 7 × 1 7 |
| 9 × 16 | " | .45 | 1.25 | 2.05 | 2 7 × 1 8 |
| 10 × 12 | " | .40 | 1.15 | 1.90 | 2 10 × 1 4 |
| 10 × 14 | " | .40 | 1.25 | 2.10 | 2 10 × 1 6 |
| 10 × 15 | " | .40 | 1.25 | 2.10 | 2 10 × 1 7 |
| 10 × 16 | " | .45 | 1.45 | 2.45 | 2 10 × 1 8 |
| 12 × 12 | " | .40 | 1.20 | 2.00 | 3 4 × 1 4 |
| 12 × 14 | " | .45 | 1.50 | 2.55 | 3 4 × 1 6 |
| 12 × 16 | " | .45 | 1.65 | 2.85 | 3 4 × 1 8 |
| 12 × 18 | " | .50 | 1.80 | 3.10 | 3 4 × 1 10 |

O C FOUR-PANEL DOORS.

Raised Panels Both Sides.

| SIZE. | | | | Thickness. | Price, First Quality. | Price, Second Quality. | Price, Third Quality. |
|-------|-----|-----|-----|------------|-----------------------------|------------------------------|-----------------------------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. | \$ cts. |
| 2 | 0 | 6 | 0 | 1 1-8 | 2.35 | 2.15 | |
| 2 | 4 | 6 | 0 | " | 2.60 | 2.35 | |
| 2 | 6 | 6 | 0 | " | 2.70 | 2.45 | |
| 2 | 8 | 6 | 0 | " | 2.80 | 2.45 | |
| 3 | 0 | 6 | 0 | " | 2.85 | 2.60 | |
| 2 | 4 | 6 | 4 | " | 2.60 | 2.35 | |
| 2 | 6 | 6 | 4 | " | 2.70 | 2.45 | |
| 2 | 8 | 6 | 4 | " | 2.80 | 2.55 | |
| 2 | 0 | 6 | 6 | " | 2.70 | 2.45 | |
| 2 | 6 | 6 | 6 | " | 2.70 | 2.45 | 2.00 |
| 2 | 8 | 6 | 6 | " | 2.85 | 2.60 | |
| 2 | 10 | 6 | 6 | " | 3.10 | 2.85 | |
| 3 | 0 | 6 | 6 | " | 3.10 | 2.85 | |
| 2 | 6 | 6 | 8 | " | 2.85 | 2.60 | |
| 2 | 8 | 6 | 8 | " | 2.85 | 2.60 | 2.15 |
| 2 | 10 | 6 | 10 | " | 3.10 | 2.85 | 2.40 |
| 3 | 0 | 7 | 0 | " | 3.35 | 3.10 | 2.60 |
| 2 | 0 | 6 | 0 | 1 3-8 | 2.80 | 2.25 | |
| 2 | 6 | 6 | 0 | " | 3.05 | 2.40 | |
| 2 | 8 | 6 | 0 | " | 3.25 | 2.55 | |
| 3 | 0 | 6 | 0 | " | 3.70 | 2.90 | |
| 2 | 4 | 6 | 4 | " | 3.05 | 2.40 | |
| 2 | 6 | 6 | 4 | " | 3.20 | 2.55 | |
| 2 | 6 | 6 | 6 | " | 3.20 | 2.55 | 2.20 |
| 2 | 8 | 6 | 6 | " | 3.45 | 2.70 | |
| 2 | 10 | 6 | 6 | " | 3.80 | 3.00 | |
| 3 | 0 | 6 | 6 | " | 3.95 | 3.00 | |
| 2 | 6 | 6 | 8 | " | 3.45 | 2.70 | |
| 2 | 8 | 6 | 8 | " | 3.50 | 2.70 | 2.30 |
| 2 | 6 | 6 | 10 | " | 3.75 | 2.90 | |
| 2 | 8 | 6 | 10 | " | 3.80 | 2.95 | |
| 2 | 10 | 6 | 10 | " | 3.90 | 3.05 | 2.60 |
| 2 | 0 | 7 | 0 | " | 3.85 | 3.10 | |
| 2 | 6 | 7 | 0 | " | 3.95 | 3.15 | |
| 2 | 8 | 7 | 0 | " | 4.00 | 3.20 | |
| 2 | 10 | 7 | 0 | " | 4.10 | 3.25 | |
| 3 | 0 | 7 | 0 | " | 4.30 | 3.40 | 2.90 |

(Continued on next page.)

O G FOUR-PANEL DOORS.

Raised Panels Both Sides.—Continued.

| SIZE. | | | | Thickness. | Price, First Quality. | Price, Second Quality. | Price, Third Quality. |
|-------|-----|-----|-----|------------|-----------------------------|------------------------------|-----------------------------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. | \$ cts. |
| 2 | 8 | × | 7 | 6 | 1 3-8 | 4.70 | 3.85 |
| 2 | 10 | × | 7 | 6 | " | 4.80 | 3.90 |
| 3 | 0 | × | 7 | 6 | " | 4.95 | 4.05 |
| 3 | 0 | × | 8 | 0 | " | 5.60 | 4.70 |
| 3 | 0 | × | 8 | 6 | " | 6.50 | 5.60 |
| 3 | 0 | × | 9 | 0 | " | 7.40 | 6.50 |
| 2 | 6 | × | 6 | 6 | 1 3-4 | 5.25 | 4.60 |
| 2 | 8 | × | 6 | 8 | " | 5.55 | 4.75 |
| 2 | 10 | × | 6 | 10 | " | 5.95 | 5.05 |
| 2 | 6 | × | 7 | 0 | " | 6.05 | 5.30 |
| 2 | 8 | × | 7 | 0 | " | 6.10 | 5.35 |
| 2 | 10 | × | 7 | 0 | " | 6.20 | 5.40 |
| 3 | 0 | × | 7 | 0 | " | 6.40 | 5.45 |
| 2 | 6 | × | 7 | 6 | " | 6.80 | 6.05 |
| 2 | 8 | × | 7 | 6 | " | 6.85 | 6.10 |
| 2 | 10 | × | 7 | 6 | " | 6.95 | 6.20 |
| 3 | 0 | × | 7 | 6 | " | 7.10 | 6.25 |
| 3 | 0 | × | 8 | 0 | " | 7.80 | 7.00 |
| 3 | 0 | × | 8 | 6 | " | 8.80 | 8.05 |
| 3 | 0 | × | 9 | 0 | " | 9.85 | 9.10 |

INCH DOORS.

Four-Panel O G.

| SIZE. | | | | Price, First Quality | Price, Second Quality. |
|-------|-----|-----|-----|-------------------------|---------------------------|
| Ft. | In. | Ft. | In. | \$ cts. | \$ cts. |
| 2 | 0 | × | 6 | 0 | 1.80 |
| 2 | 4 | × | 6 | 4 | 1.90 |
| 2 | 0 | × | 6 | 6 | 2.25 |
| 2 | 6 | × | 6 | 6 | 2.25 |
| 2 | 8 | × | 6 | 8 | 2.45 |
| | | | | | 2.30 |

Inch Doors are made out of inch lumber, and finish $\frac{7}{8}$ inch thick.
For Doors prepared for Oil Finish, add 75 cents to list.

O G FIVE-PANEL DOORS.

Raised Panels Both Sides.

| SIZE. | | | | Thickness. | Price, First Quality. | Price, Second Quality. |
|-------|-----|---|---------|------------|--------------------------|---------------------------|
| Ft. | In. | × | Ft. In. | Inches. | \$ cts. | \$ cts. |
| 2 | 6 | × | 6 6 | 1 3-8 | 3.40 | 2.75 |
| 2 | 6 | × | 6 8 | " | 3.65 | 2.90 |
| 2 | 8 | × | 6 8 | " | 3.70 | 2.90 |
| 2 | 6 | × | 6 10 | " | 3.95 | 3.10 |
| 2 | 8 | × | 6 10 | " | 4.00 | 3.15 |
| 2 | 10 | × | 6 10 | " | 4.10 | 3.25 |
| 2 | 0 | × | 7 0 | " | 4.05 | 3.30 |
| 2 | 6 | × | 7 0 | " | 4.15 | 3.35 |
| 2 | 8 | × | 7 0 | " | 4.20 | 3.40 |
| 2 | 10 | × | 7 0 | " | 4.30 | 3.45 |
| 3 | 0 | × | 7 0 | " | 4.50 | 3.60 |
| 2 | 8 | × | 7 6 | " | 4.90 | 4.05 |
| 2 | 10 | × | 7 6 | " | 5.00 | 4.10 |
| 3 | 0 | × | 7 6 | " | 5.15 | 4.25 |
| 3 | 0 | × | 8 0 | " | 5.80 | 4.90 |
| 3 | 0 | × | 8 6 | " | 6.70 | 5.80 |
| 3 | 0 | × | 9 0 | " | 7.60 | 6.70 |
| 2 | 6 | × | 6 6 | 1 3-4 | 5.45 | 4.80 |
| 2 | 8 | × | 6 8 | " | 5.75 | 4.95 |
| 2 | 10 | × | 6 10 | " | 6.15 | 5.25 |
| 2 | 6 | × | 7 0 | " | 6.25 | 5.50 |
| 2 | 8 | × | 7 0 | " | 6.30 | 5.55 |
| 2 | 10 | × | 7 0 | " | 6.40 | 5.60 |
| 3 | 0 | × | 7 0 | " | 6.60 | 5.65 |
| 2 | 6 | × | 7 6 | " | 7.00 | 6.25 |
| 2 | 8 | × | 7 6 | " | 7.05 | 6.30 |
| 2 | 10 | × | 7 6 | " | 7.15 | 6.40 |
| 3 | 0 | × | 7 6 | " | 7.30 | 6.45 |
| 3 | 0 | × | 8 0 | " | 8.00 | 7.20 |
| 3 | 0 | × | 8 6 | " | 9.00 | 8.25 |
| 3 | 0 | × | 9 0 | " | 10.05 | 9.30 |

For Doors prepared for Oil Finish, add 75 cents to list.

P C FIVE-PANEL DOORS.

Raised Panels Both Sides.

| SIZE. | | | | Thickness. | Price, First Quality. | Price, Second Quality. |
|-------|-----|-----|-----|------------|--------------------------|---------------------------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 6 | × | 6 | 6 | 3.55 | 2.90 |
| 2 | 6 | × | 6 | 8 | 3.80 | 3.05 |
| 2 | 8 | × | 6 | 8 | 3.85 | 3.05 |
| 2 | 6 | × | 6 | 10 | 4.10 | 3.25 |
| 2 | 8 | × | 6 | 10 | 4.15 | 3.30 |
| 2 | 10 | × | 6 | 10 | 4.25 | 3.40 |
| 2 | 0 | × | 7 | 0 | 4.20 | 3.45 |
| 2 | 6 | × | 7 | 0 | 4.30 | 3.50 |
| 2 | 8 | × | 7 | 0 | 4.35 | 3.55 |
| 2 | 10 | × | 7 | 0 | 4.45 | 3.60 |
| 3 | 0 | × | 7 | 0 | 4.65 | 3.75 |
| 2 | 8 | × | 7 | 6 | 5.05 | 4.20 |
| 2 | 10 | × | 7 | 6 | 5.15 | 4.25 |
| 3 | 0 | × | 7 | 6 | 5.30 | 4.40 |
| 3 | 0 | × | 8 | 0 | 5.95 | 5.05 |
| 3 | 0 | × | 8 | 6 | 6.85 | 5.95 |
| 3 | 0 | × | 9 | 0 | 7.75 | 6.85 |
| 2 | 6 | × | 6 | 6 | 5.60 | 4.95 |
| 2 | 8 | × | 6 | 8 | 5.90 | 5.10 |
| 2 | 10 | × | 6 | 10 | 6.30 | 5.40 |
| 2 | 6 | × | 7 | 0 | 6.40 | 5.65 |
| 2 | 8 | × | 7 | 0 | 6.45 | 5.70 |
| 2 | 10 | × | 7 | 0 | 6.55 | 5.75 |
| 3 | 0 | × | 7 | 0 | 6.75 | 5.80 |
| 2 | 6 | × | 7 | 6 | 7.15 | 6.40 |
| 2 | 8 | × | 7 | 6 | 7.20 | 6.45 |
| 2 | 10 | × | 7 | 6 | 7.30 | 6.55 |
| 3 | 0 | × | 7 | 6 | 7.45 | 6.60 |
| 3 | 0 | × | 8 | 0 | 8.15 | 7.35 |
| 3 | 0 | × | 8 | 6 | 9.15 | 8.40 |
| 3 | 0 | × | 9 | 0 | 10.20 | 9.45 |

For Doors prepared for Oil Finish, add 75 cents to list.

PRICE LIST OF COTTAGE DOORS.

Subject to Regular Discount.

PRICE OF 1½ THICK, UNGLAZED.

| NO. | Ft. In. 2 6 × 6 6 | Ft. In. 2 8 × 6 8 | Ft. In. 2 10 × 6 10 | Ft. In. 3 0 × 7 0 | Ft. In. 3 0 × 7 6 | Ft. In. 3 0 × 8 0 | Ft. In. 3 0 × 8 6 |
|--------------------|----------------------------|----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | | | | | | | |
| | | | | | | | |
| 230..... | 6.00 | 6.40 | 6.85 | 7.40 | 8.05 | 8.75 | 9.65 |
| 231..... | 5.55 | 5.90 | 6.35 | 6.90 | 7.55 | 8.25 | 9.15 |
| 232..... | 7.25 | 7.65 | 8.10 | 8.65 | 9.30 | 10.00 | 10.90 |
| 233..... | 6.80 | 7.15 | 7.60 | 8.15 | 8.80 | 9.50 | 10.40 |
| 237..... | 7.10 | 7.45 | 7.90 | 8.45 | 9.10 | 9.80 | 10.70 |
| 238..... | 9.20 | 9.60 | 10.05 | 10.60 | 11.25 | 12.15 | 13.05 |
| 253..... | 9.70 | 10.10 | 10.55 | 11.10 | 11.75 | 12.65 | 13.55 |
| 254..... | 10.70 | 11.10 | 11.55 | 12.10 | 12.75 | 13.65 | 14.55 |
| 263 (1¾ Thick.)... | | | | 20.00 | 21.00 | 22.00 | 23.00 |
| 264..... | 5.15 | 5.50 | 5.95 | 6.45 | 7.15 | 7.80 | 8.70 |
| 272..... | 7.05 | 7.40 | 8.00 | 8.60 | 9.45 | 10.35 | 11.25 |
| 273..... | 8.80 | 9.15 | 9.70 | 10.40 | 11.20 | 12.10 | 13.00 |
| 274..... | 9.10 | 9.45 | 10.05 | 10.70 | 11.50 | 12.40 | 13.30 |
| 275..... | 10.70 | 11.10 | 11.70 | 12.30 | 13.15 | 14.25 | 14.95 |
| 276..... | 8.15 | 8.55 | 9.00 | 9.50 | 10.15 | 10.85 | 11.75 |
| 277..... | 7.50 | 7.85 | 8.40 | 8.95 | 9.60 | 10.30 | 11.20 |
| 278..... | 9.90 | 10.30 | 10.75 | 11.30 | 11.95 | 12.85 | 13.75 |
| 279..... | 10.40 | 10.80 | 11.25 | 11.80 | 12.45 | 13.35 | 14.25 |
| 280..... | 10.90 | 11.30 | 11.75 | 12.30 | 12.95 | 13.85 | 14.75 |
| 281..... | 6.00 | 6.40 | 6.85 | 7.40 | 8.05 | 8.75 | 9.65 |
| 282..... | 12.50 | 12.80 | 13.35 | 13.90 | 14.55 | 15.45 | 16.35 |
| 297..... | 7.05 | 7.40 | 8.00 | 8.60 | 9.45 | 10.35 | 11.25 |

For 1¾ Doors add the difference between 1¾ and 1¾ Four-panel O. G. Doors, same size.

Cuts of above Doors can be found in our Reference Book of Doors, which will be furnished upon application.

All other fancy Doors we quote by estimate only.

PRICE LIST OF COTTAGE DOORS.

Subject to Regular Discount.

PRICE OF 1½ THICK, **GLAZED, PLAIN GLASS.**

| NO. | Ft. In. | Ft. In. | Ft. In. | Ft. In. | Ft. In. | Ft. In. | Ft. In. |
|-----------------------------|----------|----------|-----------|----------|----------|----------|----------|
| | 2 6 | 2 8 | 2 10 | 3 0 | 3 0 | 3 0 | 3 0 |
| | × 6 6 | × 6 8 | × 6 10 | × 7 0 | × 7 6 | × 8 0 | × 8 6 |
| 230 | 8.10 | 8.65 | 9.70 | 10.80 | 12.10 | 14.75 | 16.65 |
| 231 | 8.15 | 9.05 | 9.95 | 11.45 | 13.00 | 13.95 | 16.60 |
| 232 | 9.35 | 9.90 | 10.95 | 12.05 | 13.35 | 16.00 | 17.90 |
| 233 | 9.40 | 10.30 | 11.20 | 12.70 | 14.25 | 15.20 | 17.85 |
| 237 | 9.70 | 10.60 | 11.50 | 13.00 | 14.55 | 15.50 | 18.15 |
| 238 | 11.80 | 12.75 | 13.65 | 15.15 | 16.70 | 17.85 | 20.50 |
| 253 | 12.30 | 13.25 | 14.15 | 15.65 | 17.20 | 18.35 | 21.00 |
| 254 | 13.30 | 14.25 | 15.15 | 16.65 | 18.20 | 19.35 | 22.00 |
| 263 (1¾ Thick)... .. | | | | 24.55 | 26.45 | 27.70 | 30.45 |
| 264 | 7.75 | 8.65 | 9.55 | 11.00 | 12.60 | 13.50 | 16.15 |
| 272 | 9.65 | 10.55 | 11.60 | 13.15 | 14.90 | 16.05 | 18.70 |
| 273 | 11.40 | 12.30 | 13.35 | 14.95 | 16.65 | 17.80 | 20.45 |
| 274 | 11.70 | 12.60 | 13.65 | 15.25 | 16.95 | 18.10 | 20.75 |
| 275 | 13.30 | 14.25 | 15.30 | 16.85 | 18.60 | 19.95 | 22.40 |
| 276 | 10.75 | 11.70 | 12.60 | 13.55 | 15.60 | 16.55 | 19.20 |
| 277 | 10.10 | 11.00 | 12.00 | 13.50 | 15.05 | 16.00 | 18.65 |
| 278 | 12.50 | 13.45 | 14.35 | 15.85 | 17.40 | 18.55 | 21.20 |
| 279 | 13.00 | 13.95 | 14.85 | 16.35 | 17.90 | 19.05 | 21.70 |
| 280 | 13.50 | 14.45 | 15.35 | 16.85 | 18.40 | 19.55 | 22.20 |
| 297 | 9.65 | 10.55 | 11.60 | 13.15 | 14.90 | 16.05 | 18.70 |

For 1½ Doors add the difference between 1½ and 1¾ Four-panel O. G. Doors, same size.

For Cathedral Glass in border lights of marginal light Doors add \$1.75 to the plain glazed list.

For enameled, plain ground, or ruby Glass add to list price of glazed Doors \$2.00. For ruby enameled add to list price of glazed Doors \$3.00.

Cuts of above Doors can be found in our Reference Book of Doors, which will be furnished upon application.

All other fancy Doors we quote by estimate only.



210




213

O C SASH DOORS.

| SIZE. | | | | Thickness. In. | Four Lights, Square-Top Glass. | | Two Lights, Circle-Top Glass. | |
|-------|-----|-----|-----|-------------------|-----------------------------------|------------------|----------------------------------|------------------|
| | | | | | Price Unglazed. | Price Glazed. | Price Unglazed. | Price Glazed. |
| Ft. | In. | Ft. | In. | In. | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 2 | 6 | 6 | 6 | 1 3/8 | 3.55 | 5.05 | 4.20 | 6.30 |
| 2 | 8 | 6 | 8 | " | 3.85 | 5.70 | 4.50 | 6.75 |
| 2 | 6 | 6 | 10 | " | 4.15 | 6.40 | 4.80 | 7.40 |
| 2 | 10 | 6 | 10 | " | 4.25 | 6.50 | 4.90 | 7.75 |
| 2 | 6 | 7 | 0 | " | 4.50 | 6.90 | 5.15 | 7.95 |
| 3 | 0 | 7 | 0 | " | 4.65 | 7.15 | 5.30 | 8.70 |
| 2 | 6 | 7 | 6 | " | 5.15 | 7.90 | 5.80 | 9.25 |
| 3 | 0 | 7 | 6 | " | 5.30 | 8.20 | 5.95 | 10.00 |
| 2 | 6 | 8 | 0 | " | 5.80 | 8.65 | 6.45 | 12.00 |
| 3 | 0 | 8 | 0 | " | 5.95 | 9.10 | 6.60 | 12.60 |

Doors for glass in first quality only. 1 3/8 Sash Doors same price as 1 3/8



216



217

SASH DOORS, MOULDED ONE SIDE.

| SIZE. | | | Thickness In. | Two Lights, Circle- Top Glass. | | One Light, Upper Corners Circle. | |
|-------|-----|---------|------------------|-----------------------------------|------------------|-------------------------------------|------------------|
| | | | | Price Unglazed. | Price Glazed. | Price Unglazed. | Price Glazed. |
| Ft. | In. | Ft. In. | | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 2 | 6 | 6 | 1 3/8 | 6.60 | 8.70 | 6.60 | 9.20 |
| 2 | 8 | 6 | " | 7.00 | 9.25 | 7.00 | 10.15 |
| 2 | 8 | 6 | " | 7.40 | 10.00 | 7.40 | 10.55 |
| 2 | 10 | 6 | " | 7.50 | 10.35 | 7.50 | 11.10 |
| 2 | 6 | 7 | " | 7.85 | 10.65 | 7.85 | 11.45 |
| 3 | 0 | 7 | " | 8.00 | 11.40 | 8.00 | 12.55 |
| 2 | 6 | 7 | " | 8.55 | 12.00 | 8.55 | 12.45 |
| 3 | 0 | 7 | " | 8.70 | 12.75 | 8.70 | 14.15 |
| 2 | 6 | 8 | " | 9.30 | 14.85 | 9.30 | 14.10 |
| 3 | 0 | 8 | " | 9.45 | 15.45 | 9.45 | 15.15 |


For 1 3/4 Doors, add to this list the difference between 1 3/8 and 1 3/4 Four-Panel Raised Moulded Doors, same size.



220

FIVE-PANEL CHAMFERED AND STUB MOULDED DOORS.

| SIZE. | | | | Thickness. | Price, Chamf'd and Moulded One Side, and O G One Side. | Price, Chamf'd and Moulded Two Sides. |
|-------|-----|-----|-----|------------|---|---|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 8 | 6 | 8 | 1 3-8 | 6.45 | 8.65 |
| 2 | 10 | 6 | 10 | " | 6.95 | 9.15 |
| 3 | 0 | 7 | 0 | " | 7.45 | 9.70 |
| 3 | 0 | 7 | 6 | " | 8.15 | 10.40 |
| 3 | 0 | 8 | 0 | " | 8.90 | 11.15 |
| 2 | 8 | 6 | 8 | 1 3-4 | 8.60 | 10.80 |
| 2 | 10 | 6 | 10 | " | 9.10 | 11.30 |
| 3 | 0 | 7 | 0 | " | 9.70 | 11.95 |
| 3 | 0 | 7 | 6 | " | 10.55 | 12.80 |
| 3 | 0 | 8 | 0 | " | 11.35 | 13.60 |



207

FOUR-PANEL MACHINE CHAMFERED DOORS.

| Size. | | Thickness. | Price, Chamfered One Side. | Price, Chamfered Two Sides. |
|-------|--------|------------|-------------------------------|--------------------------------|
| Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 8 × 6 | 1 3-8 | 4.30 | 4.80 |
| 2 | 10 × 6 | " | 4.70 | 5.20 |
| 3 | 0 × 7 | " | 5.10 | 5.60 |
| 3 | 0 × 7 | " | 5.75 | 6.25 |
| 3 | 0 × 8 | " | 6.40 | 6.90 |

FIVE-PANEL RAISED MOULDED DOORS. NO. 206.

| Size. | | Thickness. | Price, Moulded One Side. | Price, Moulded Two Sides. |
|-------|--------|------------|-----------------------------|------------------------------|
| Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 8 × 6 | 1 3-8 | 5.90 | 7.85 |
| 2 | 10 × 6 | " | 6.40 | 8.35 |
| 3 | 0 × 7 | " | 6.90 | 8.90 |
| 3 | 0 × 7 | " | 7.60 | 9.60 |
| 3 | 0 × 8 | " | 8.35 | 10.35 |

FOUR-PANEL MOULDED DOORS.

Flush or Sunk Moulding.

| SIZE. | | | | Thickness. | Price, Moulded One Side. | Price, Moulded Two Sides. |
|-------|--------|-----|-----|------------|--------------------------------|---------------------------------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 4 × 6 | 4 | | 1 3-8 | 4.10 | 4.90 |
| 2 | 0 × 6 | 6 | | " | 4.10 | 4.90 |
| 2 | 6 × 6 | 6 | | " | 4.10 | 4.90 |
| 2 | 6 × 6 | 8 | | " | 4.45 | 5.25 |
| 2 | 8 × 6 | 8 | | " | 4.45 | 5.25 |
| 2 | 10 × 6 | 10 | | " | 4.85 | 5.65 |
| 2 | 6 × 7 | 0 | | " | 5.10 | 5.95 |
| 2 | 8 × 7 | 0 | | " | 5.15 | 6.00 |
| 2 | 10 × 7 | 0 | | " | 5.25 | 6.10 |
| 3 | 0 × 7 | 0 | | " | 5.45 | 6.30 |
| 2 | 6 × 7 | 6 | | " | 5.90 | 6.75 |
| 2 | 8 × 7 | 6 | | " | 5.90 | 6.75 |
| 2 | 10 × 7 | 6 | | " | 6.00 | 6.85 |
| 3 | 0 × 7 | 6 | | " | 6.15 | 7.00 |
| 3 | 0 × 8 | 0 | | " | 6.85 | 7.70 |
| 2 | 8 × 6 | 8 | | 1 3-4 | 6.80 | 7.65 |
| 2 | 10 × 6 | 10 | | " | 7.30 | 8.15 |
| 3 | 0 × 7 | 0 | | " | 7.85 | 8.75 |
| 2 | 8 × 7 | 6 | | " | 8.35 | 9.35 |
| 2 | 10 × 7 | 6 | | " | 8.45 | 9.45 |
| 3 | 0 × 7 | 6 | | " | 8.60 | 9.60 |
| 3 | 0 × 8 | 0 | | " | 9.40 | 10.40 |
| 3 | 0 × 8 | 6 | | " | 10.40 | 11.40 |

Add to price of Moulded Doors for Circle-Top Panels or Segment,
\$1.45 for each side. Sizes not given above, extra price.

For Doors prepared for Oil Finish, add 75 cents to the list.

FOUR-PANEL MOULDED DOORS.

Raised Moulding.

| SIZE. | | | | Thickness. | Price, Moulded One Side. | Price, Moulded Two Sides. |
|-------|-----|-----|-----|------------|--------------------------------|---------------------------------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. | \$ cts. |
| 2 | 0 | 6 | 6 | 1 3-8 | 4.80 | 6.25 |
| 2 | 6 | 6 | 6 | " | 4.80 | 6.25 |
| 2 | 6 | 6 | 8 | " | 5.20 | 6.65 |
| 2 | 8 | 6 | 8 | " | 5.20 | 6.65 |
| 2 | 10 | 6 | 10 | " | 5.70 | 7.15 |
| 2 | 6 | 7 | 0 | " | 5.85 | 7.35 |
| 2 | 8 | 7 | 0 | " | 5.90 | 7.40 |
| 2 | 10 | 7 | 0 | " | 6.00 | 7.50 |
| 3 | 0 | 7 | 0 | " | 6.20 | 7.70 |
| 2 | 6 | 7 | 6 | " | 6.65 | 8.15 |
| 2 | 8 | 7 | 6 | " | 6.65 | 8.15 |
| 2 | 10 | 7 | 6 | " | 6.75 | 8.25 |
| 3 | 0 | 7 | 6 | " | 6.90 | 8.40 |
| 3 | 0 | 8 | 0 | " | 7.65 | 9.15 |
| 3 | 0 | 8 | 6 | " | 8.55 | 10.05 |
| 2 | 8 | 6 | 8 | 1 3-4 | 7.65 | 9.10 |
| 2 | 10 | 6 | 10 | " | 8.15 | 9.60 |
| 2 | 6 | 7 | 0 | " | 8.40 | 9.90 |
| 2 | 8 | 7 | 0 | " | 8.45 | 9.95 |
| 2 | 10 | 7 | 0 | " | 8.55 | 10.05 |
| 3 | 0 | 7 | 0 | " | 8.75 | 10.25 |
| 2 | 8 | 7 | 6 | " | 9.35 | 10.85 |
| 2 | 10 | 7 | 6 | " | 9.45 | 10.95 |
| 3 | 0 | 7 | 6 | " | 9.60 | 11.10 |
| 3 | 0 | 8 | 0 | " | 10.40 | 11.90 |
| 3 | 0 | 8 | 6 | " | 11.40 | 12.90 |

Add to price of Moulded Doors for Circle Top Panels or Segment, \$1.45 for each side. Sizes not given above, extra price.

For Doors prepared for Oil Finish, add 75 cents to the list.

STORE DOORS.

Moulded Panel Outside. Single Strength Glass.

| SIZE. | | | | Open, per Pair. 1 3-8 in. | Glazed, 2-light each Door, per Pair. 1 3-8 in. | Open, per Pair. 1 3-4 in. | Glazed, 2-light each Door, per Pair. 1 3-4 in. |
|-------|-----|-----|-----|---------------------------------|--|---------------------------------|--|
| Ft. | In. | Ft. | In. | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 4 | 6 | × | 7 0 | 9.75 | 13.05 | 15.20 | 18.50 |
| 4 | 6 | × | 7 6 | 10.50 | 14.50 | 16.90 | 20.90 |
| 4 | 6 | × | 8 0 | 11.40 | 15.40 | 18.60 | 22.60 |
| 5 | 0 | × | 7 0 | 10.40 | 14.15 | 15.75 | 19.50 |
| 5 | 0 | × | 7 6 | 11.40 | 15.70 | 17.50 | 21.80 |
| 5 | 0 | × | 8 0 | 12.50 | 17.20 | 19.15 | 23.85 |
| 5 | 0 | × | 8 6 | 13.65 | 19.15 | 21.00 | 26.50 |

Add for Double Strength Glass 10 per cent. of 1½ Glazed List.

For Double Thick, add 75 per cent. to Open 1¾ List. We are prepared to make any size, single or double thick, on short notice; also Store Sash, Panels, etc.

We also make Store Doors and Store Sash, moulded both sides on the glass, either square, circle top, segment, or circle corners, to order. In ordering, always state whether glazed or unglazed, and whether single or double strength glass is wanted, and how many lights in each door.

Store Doors for or with Shutters, extra price.

DOOR BLINDS.

| SIZE. | | | | Thickness. | Price. |
|-------|-----|-----|------|------------|---------|
| Ft. | In. | Ft. | In. | Inches. | \$ cts. |
| 2 | 6 | × | 6 6 | 1 1-8 | 2.50 |
| 2 | 8 | × | 6 8 | " | 2.70 |
| 2 | 10 | × | 6 10 | " | 2.90 |
| 3 | 0 | × | 7 0 | " | 3.15 |

1½ thick, add to price of 1½, 40 cents per pair.

In ordering, state if Blinds are to be a pair or a single piece to each opening. Sizes not given, extra price.

OUTSIDE BLINDS.

Twelve-Lighted Windows.

| SIZE. Inches. | Price, Rolling Slats. | Price, Stationary or $\frac{1}{2}$ Stationary Slats. | |
|------------------|--------------------------|---|------------------------|
| | $1\frac{1}{8}$ inches. | $1\frac{1}{8}$ inches. | $1\frac{3}{8}$ inches. |
| 8 × 10 | \$1.25 | \$1.50 | \$1.90 |
| 8 × 12 | 1.50 | 1.75 | 2.15 |
| 8 × 14 | 1.60 | 1.85 | 2.25 |
| 9 × 12 | 1.50 | 1.75 | 2.15 |
| 9 × 13 | 1.60 | 1.85 | 2.25 |
| 9 × 14 | 1.70 | 1.95 | 2.35 |
| 9 × 15 | 1.80 | 2.05 | 2.45 |
| 9 × 16 | 1.90 | 2.15 | 2.55 |
| 9 × 18 | 2.10 | 2.35 | 2.75 |
| 10 × 12 | 1.60 | 1.85 | 2.25 |
| 10 × 14 | 1.85 | 2.10 | 2.50 |
| 10 × 15 | 1.95 | 2.20 | 2.60 |
| 10 × 16 | 2.10 | 2.35 | 2.75 |
| 10 × 18 | 2.35 | 2.60 | 3.00 |
| 10 × 20 | 2.60 | 2.85 | 3.25 |
| 10 × 22 | 2.80 | 3.05 | 3.45 |
| 10 × 24 | 3.00 | 3.25 | 3.65 |

For 12-inch Twelve-lighted Blinds, add 30 cents to price of 10-inch.
For $1\frac{1}{8}$ thick, add to price of $1\frac{1}{8}$ 40 cents per pair.

Eight-Lighted Windows.

| SIZE. Inches. | Price, Rolling Slats. | Price, Stationary or $\frac{1}{2}$ Stationary Slats. | |
|------------------|--------------------------|---|------------------------|
| | $1\frac{1}{8}$ inches. | $1\frac{1}{8}$ inches. | $1\frac{3}{8}$ inches. |
| 9 × 12 | \$1.50 | \$1.75 | \$2.15 |
| 9 × 14 | 1.60 | 1.85 | 2.25 |
| 9 × 16 | 1.80 | 2.05 | 2.45 |
| 9 × 18 | 2.00 | 2.25 | 2.65 |
| 10 × 12 | 1.50 | 1.75 | 2.15 |
| 10 × 14 | 1.60 | 1.85 | 2.25 |
| 10 × 16 | 1.80 | 2.05 | 2.45 |
| 10 × 18 | 2.00 | 2.25 | 2.65 |
| 10 × 20 | 2.20 | 2.45 | 2.85 |
| 12 × 14 | 1.70 | 1.95 | 2.35 |
| 12 × 16 | 1.90 | 2.15 | 2.55 |
| 12 × 18 | 2.10 | 2.35 | 2.75 |
| 12 × 20 | 2.35 | 2.60 | 3.00 |

OUTSIDE BLINDS—Continued.

Four-Lighted Windows.

| SIZE. Inches. | Price, Rolling Slats. | Price, Stationary or $\frac{1}{2}$ Stationary Slats. | |
|------------------|------------------------------------|---|------------------------------------|
| | 1 $\frac{1}{8}$ inches. \$ 1.25 | 1 $\frac{1}{4}$ inches. \$ 1.50 | 1 $\frac{3}{8}$ inches. \$ 1.90 |
| 12 × 20 | | | |
| 12 × 22 | 1.50 | 1.75 | 2.15 |
| 12 × 24 | 1.50 | 1.75 | 2.15 |
| 12 × 26 | 1.60 | 1.85 | 2.25 |
| 12 × 28 | 1.70 | 1.95 | 2.35 |
| 12 × 30 | 1.80 | 2.05 | 2.45 |
| 12 × 32 | 1.90 | 2.15 | 2.55 |
| 12 × 34 | 2.00 | 2.25 | 2.65 |
| 12 × 36 | 2.10 | 2.35 | 2.75 |
| 12 × 38 | 2.25 | 2.50 | 2.90 |
| 12 × 40 | 2.35 | 2.60 | 3.00 |
| 14 × 24 | 1.65 | 1.90 | 2.30 |
| 14 × 26 | 1.80 | 2.05 | 2.45 |
| 14 × 28 | 1.90 | 2.15 | 2.55 |
| 14 × 30 | 2.00 | 2.25 | 2.65 |
| 14 × 32 | 2.15 | 2.40 | 2.80 |
| 14 × 34 | 2.30 | 2.55 | 2.95 |
| 14 × 36 | 2.40 | 2.65 | 3.05 |
| 14 × 38 | 2.55 | 2.80 | 3.20 |
| 14 × 40 | 2.65 | 2.90 | 3.30 |
| 14 × 42 | 2.80 | 3.05 | 3.45 |
| 14 × 44 | 2.90 | 3.15 | 3.55 |
| 14 × 46 | 3.00 | 3.25 | 3.65 |
| 14 × 48 | 3.15 | 3.40 | 3.80 |

1 $\frac{3}{8}$ thick, add to price of 1 $\frac{1}{8}$, per pair, 40 cents. Segment Head Blinds, add 75c per pair. Half Circle Head Blinds, add \$1.50 per pair.

Size of Blinds measure same as Check Rail Window, with the addition of 1 inch to the bottom Rail, for Sub-sill Window Frames, which can be cut off if necessary.


OUTSIDE BLINDS.

Two-Lighted Windows.

Blinds for Two-Lighted Windows, with glass 20, 22 or 24 inches wide, same price as Blinds for Four-Lighted Windows with 12-inch glass, same height.

Blinds for Two-Lighted Windows, with glass 26 or 28 inches wide, same price as Blinds for Four-Lighted Windows with 14-inch glass, same height.

INSIDE BLINDS.



500—All Slats.



501— $\frac{1}{2}$ Panels, $\frac{1}{2}$ Slats.

O G Panel, or Rolling Slats, measuring height of window, ordinary width, per foot, subject to regular discount: **Two-fold, 65 cents; Three-fold, 80 cents; Four-fold, \$1.00; Six-fold, \$1.40.**

The above prices are for Pine. If hard wood, such as Cherry, Ash, Maple, or Black Walnut, send for estimate.

We make Inside Blinds that are not excelled, either in workmanship or style, in this market.

Directions for Ordering.

- 1st—In all cases give the exact outside measure of Blinds wanted.
- 2d—Give the number of folds.
- 3d—State if Blinds are to be all slats, or part panels, and if so, what part.
- 4th—State distance from top of windows to center of meeting rail or sash, or where Blinds are to be cut.
- 5th—Always give thickness of Blinds. They are made $1\frac{1}{8}$ inches thick unless otherwise ordered.
- 6th—If Blinds fold in pockets, give the size of the pockets.
- 7th—State if Blinds are to be painted or finished in oil.

OUTSIDE DOOR FRAMES.

FOR WOOD BUILDING.

| SIZE. | | | | With Plain Outside Casings, 4 x 1½ in., and Rab'ted Jambs, for 4-inch Stud. | If for Transoms, add |
|-------|-----|---|-----|---|----------------------|
| Ft. | In. | | Ft. | In. | |
| 2 | 6 | × | 6 | 6 | \$ cts. cts. |
| 2 | 8 | × | 6 | 8 | 1.70 .50 |
| 2 | 10 | × | 6 | 10 | 1.75 .55 |
| 2 | 10 | × | 6 | 10 | 1.85 .60 |
| 3 | 0 | × | 7 | 0 | 1.90 .65 |

For Outside Frames with Moulded Caps, add 45 cents.

FOR BRICK BUILDING.

| SIZE. | | | | With 1¾ inch Rab'ted Jambs, and Moulded Outside Casing. | If for Transoms, add |
|-------|-----|---|-----|---|----------------------|
| Ft. | In. | | Ft. | In. | |
| 2 | 6 | × | 6 | 6 | \$ cts. cts. |
| 2 | 8 | × | 6 | 8 | 2.60 .75 |
| 2 | 8 | × | 6 | 8 | 2.70 .80 |
| 2 | 10 | × | 6 | 10 | 2.80 .85 |
| 3 | 0 | × | 7 | 0 | 2.90 .90 |

For Segment Frames for Brick Buildings, add \$1.00.

For Segment Outside, Square Inside, add 35 cents.

Orders for Frames should give width of Jambs wanted.

Orders for Outside Door Frames should give width of Rabbet to receive Door.

INSIDE DOOR FRAMES.

| SIZE. | | | | With 5-inch Casings Both Sides. | If for Transoms, add |
|-------|-----|-----|-----|---------------------------------|----------------------|
| Ft. | In. | Ft. | In. | \$ cts. | cts. |
| 2 | 6 | × | 6 | ¾ × 5¾ Jambs. | 1.60 40 |
| 2 | 8 | × | 6 | 8 " " | 1.65 40 |
| 2 | 10 | × | 6 | 10 " " | 1.70 45 |
| 3 | 0 | × | 7 | 0 " " | 1.75 50 |

Wider Jambs extra price.

WINDOW FRAMES.

For Twelve-Lighted Windows.

| Size of Glass. | WOOD BUILDING. | | BRICK BUILDING. | |
|----------------------|---------------------|---------------------|-------------------------------------|----------------------------------|
| | Plain Rail Sash. | Check Rail Sash. | 1¾-inch Plank, with Moulding. | Box Frames, with Moulding. |
| Inches. | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 8×10 | .95 | 1.35 | 1.60 | 2.10 |
| 9×12 | 1.10 | 1.50 | 1.80 | 2.30 |
| 9×14 | 1.25 | 1.60 | 1.90 | 2.45 |
| 9×15 | 1.40 | 1.70 | 2.10 | 2.60 |
| 9×16 | 1.40 | 1.70 | 2.10 | 2.60 |
| 9×18 | 1.50 | 1.85 | 2.25 | 2.75 |
| 10×12 | 1.15 | 1.60 | 1.85 | 2.45 |
| 10×14 | 1.30 | 1.70 | 2.10 | 2.60 |
| 10×16 | 1.45 | 1.80 | 2.20 | 2.75 |
| 10×18 | 1.60 | 1.90 | 2.30 | 2.90 |
| 10×20 | 1.70 | 2.10 | 2.40 | 3.10 |

For Eight-Lighted Windows.

| Size of Glass. | WOOD BUILDING. | | BRICK BUILDING. | |
|----------------------|---------------------|---------------------|-------------------------------------|----------------------------------|
| | Plain Rail Sash. | Check Rail Sash. | 1¾-inch Plank, with Moulding. | Box Frames, with Moulding. |
| Inches. | \$ cts. | \$ cts. | \$ cts. | \$ cts. |
| 12×14 | 1.25 | 1.70 | 2.10 | 2.60 |
| 12×16 | 1.40 | 1.80 | 2.20 | 2.75 |
| 12×18 | 1.50 | 1.90 | 2.30 | 2.90 |
| 12×20 | 1.65 | 2.10 | 2.45 | 3.10 |
| 12×22 | 1.80 | 2.25 | 2.60 | 3.25 |
| 12×24 | 1.90 | 2.40 | 2.75 | 3.40 |

(Continued on next page.)

WINDOW FRAMES.

For Four-Lighted Windows.

| FOR WOOD BUILDING. | | FOR BRICK BUILDING. | |
|--------------------|--|-------------------------------|---------------------------|
| Sizes of Glass. | For Check Rail Sash, Outside Casing, 1½ x 4½ inches. | 1¾-inch Plank, with Moulding. | Box Frame, with Moulding. |
| Inches. | \$ cts. | \$ cts. | \$ cts. |
| 10, 12 or 14 x 20 | 1.40 | 1.60 | 2.10 |
| 10, 12 or 14 x 22 | 1.45 | 1.75 | 2.25 |
| 10, 12 or 14 x 24 | 1.50 | 1.85 | 2.40 |
| 10, 12 or 14 x 26 | 1.60 | 1.90 | 2.50 |
| 10, 12 or 14 x 28 | 1.70 | 2.05 | 2.60 |
| 10, 12 or 14 x 30 | 1.75 | 2.10 | 2.70 |
| 10, 12 or 14 x 32 | 1.80 | 2.20 | 2.75 |
| 10, 12 or 14 x 34 | 1.85 | 2.25 | 2.80 |
| 10, 12 or 14 x 36 | 1.90 | 2.35 | 2.90 |
| 10, 12 or 14 x 40 | 2.05 | 2.45 | 3.10 |
| 10, 12 or 14 x 44 | 2.25 | 2.60 | 3.25 |
| 10, 12 or 14 x 48 | 2.40 | 2.75 | 3.40 |

For Circle Top or Circle Corner Window or Door Frames, add to List Prices of Square Top \$1.75.

Frames with Inside Finish, add to list prices 60 cents.

Frames with Pulleys for weights, add 45 cents.

Segment Outside, Square Inside, add 35 cents.

Frames for Two-Lighted Windows. same price as Four-Lighted, same length.

Frames with Moulded Cap, add 45 cents.

THE KELLY PATENT WINDOW BLIND.

Having secured the right to manufacture these Blinds of the patentee, we are prepared to furnish them on short notice. The protection of these Blinds, when the slats are closed against wind, rain, dust or the rays of the sun, over the ordinary Window Blind, has brought them into extensive use, and they have given universal satisfaction. They are equally adapted to both outside and inside. Small samples of these Blinds sent without cost, except freight or express charges, upon application.

ROPE MOULDINGS.

Particular attention is called to the variety and styles of these Mouldings, ranging in size from $\frac{3}{8}$ inch to 4 inches in diameter. Circles of all sizes worked to order.

PRICE LIST.

| Pine or White Wood. | | Walnut or Hard Wood. | |
|----------------------------|-------------------|----------------------------|-------------------|
| | Per ft. (lineal.) | | Per ft. (lineal.) |
| 3-8, 1-2 and 5-8 inch..... | 5c | 3-8, 1-2 and 5-8 inch..... | 8c |
| 1 inch..... | 6c | 1 inch..... | 10c |
| 1 1-4 "..... | 7c | 1 1-4 "..... | 12c |
| 1 1-2 "..... | 8c | 1 1-2 "..... | 14c |
| 2 "..... | 10c | 2 "..... | 18c |
| 2 1-2 "..... | 15c | 2 1-2 "..... | 25c |
| 3 "..... | 18c | 3 "..... | 30c |
| 3 1-2 "..... | 25c | 3 1-2 "..... | 35c |
| 4 "..... | 30c | 4 "..... | 45c |

Circles from three to four times the price of straight; cut right and left. The above prices not subject to regular discount.

EASTLAKE FINISH.


We make a specialty of this department, and can furnish this finish in the latest styles on short notice. Have a large staff of first-class workmen, and can guarantee quality and beauty of execution equal to anything to be found in this country. We give a few new styles in our Moulding Book, just issued, and will be pleased to furnish estimates to any one contemplating the use of this latest style of ornamentation.

WOOD-CARVING.


In connection with our Eastlake finish department, we employ a number of carvers, and are prepared to furnish any kind of work in this line also, at reasonable prices and of beautiful workmanship.

WEIGHTS.

| Weight of Doors. | | | Weight of 8-Light Windows. | | | |
|---|-----------------|----------|---|-----------------|----------|----------------|
| Size. | 1 1-8 | 1 3-8 | Size. | Thick- ness. | Glazed. | Un- glazed. |
| 4 Panel, 2-6 × 6-6 | 30 lbs. | 35 lbs. | 9 × 12 | 1 3-8 | 18½ lbs. | 8 lbs. |
| 4 " 2-8 × 6-8 | 33 " | 38 " | 10 × 14 | " | 20 " | 11 " |
| 4 " 2-10 × 6-10 | 36 " | 42 " | 10 × 16 | " | 23 " | 12 " |
| 4 " 3 × 7 | 38 " | 48 " | 12 × 14 | " | 24 " | 11 " |
| Add 12 lbs. for 1¾ thick to weight of 1¾ inch. | | | 12 × 16 | " | 25 " | 12 " |
| 4 Panel, 2-6 × 6-6 inch, 23 lbs. | | | 12 × 18 | " | 28½ " | 13 " |
| | | | 12 × 20 | " | 33½ " | 14 " |
| Weight of Blinds. | | | Weight of 12-Light Windows. | | | |
| Size. | Thick- ness. | Weight. | Size. | Thick- ness. | Glazed. | Un- glazed. |
| 8 × 10..... | 1 1-8 | 14½ lbs. | 8 × 10 | 1 1-8 | 15½ lbs. | 6 lbs. |
| 9 × 12..... | " | 18½ " | 9 × 12 | " | 20 " | 8 " |
| 10 × 14..... | " | 22½ " | 9 × 12 | 1 3-8 | 22 " | 9 " |
| 10 × 16..... | " | 24½ " | 10 × 14 | " | 27½ " | 11 " |
| 10 × 18..... | " | 27½ " | 10 × 16 | " | 31½ " | 12 " |
| 10 × 20..... | " | 30 " | 10 × 18 | " | 34½ " | 13 " |
| Weight of Mouldings. | | | Weight of 4-Light Windows. CHECK RAIL. | | | |
| 1 inch × 1 inch, per 100 lineal feet, 15 lbs. | | | Size. | Thick- ness. | Glazed. | Un- glazed. |
| | | | 12 × 24 | 1 3-8 | 21½ lbs. | 11 lbs. |
| | | | 12 × 28 | " | 24 " | 11½ " |
| | | | 12 × 32 | " | 26 " | 13 " |
| | | | 12 × 36 | " | 30 " | 14 " |
| | | | 14 × 30 | " | 28 " | 11½ " |
| | | | 14 × 32 | " | 29 " | 12½ " |
| | | | 14 × 34 | " | 30 " | 13½ " |
| | | | 14 × 36 | " | 31 " | 15 " |



A
ENAMELED GLASS.



2509



2510

CUT GLASS.




2530


For Doors or Transoms, can be made any size or shape desired.



2505



2497



2499



2507

CUT GLASS.


Orders for Cut Glass should give the exact size, including rabbet for glass; also the size between the mouldings.




2519



2443



2418



2455

CUT CLASS.

If segment or circle-corner glass is wanted, we prefer a full size paper pattern to prevent mistakes.



2639



2617



2615



2603

CUT GLASS.

Can furnish any pattern desired in either Cut or Sand Blast Glass.

FEBRUARY 1, 1892.

PALMER, FULLER & Co.

WHOLESALE MANUFACTURERS OF

STAIRS,

STAIR RAILING,

Balusters, Newel Posts, Mantels,

PEW ENDS, ETC.,

Of Every Description, both Plain and Fancy, of

HARD OR SOFT WOOD.

COR. WEST TWENTY-SECOND AND UNION STS.

Chicago, Ill.

CHICAGO, February 1, 1892.

DEAR SIR:

In our frequent issues of these books our constant aim is to keep before the trade, and those contemplating building, all the new and improved styles and designs in **STAIRS, STAIR RAILING, BALUSTERS, and NEWEL POSTS**, such as are being used in our city and throughout the country, which enables those requiring such goods to make their selections.

We keep in stock the largest variety of Stair Material to be found in the country, and having the latest and most improved machinery, we are enabled to furnish anything in this line at the **very LOWEST PRICES**, and on short notice.


Having constantly on hand a large stock of **THOROUGHLY SEASONED** Black Walnut, Cherry, Mahogany, Ash, and other fancy woods, including a choice assortment of Veneers, we are prepared to furnish plain, fancy, or highly ornamental Stair Cases, all ready to put together; or, if desired, we put them together and finish complete, ready to set up. We are also prepared to furnish Stair Railing, Balusters, and Newel Posts to suit every description of Stairs, with crooks, etc., moulded and fitted together with bolts, complete, ready to be put up. Our Stairs and Stair Railing, when made ready to put together, are fitted, then marked and taken apart, so that any carpenter can set them up and finish in the building.

All our work is delivered on board cars or boats free of charge. Estimates, Price Lists, Moulding Books, or any information in our line, will be furnished free by return mail.

Inviting a personal examination of our stock, we remain,

Yours truly,

PALMER, FULLER & CO.




2385


2386


OFFICE RAILING.


The above cut represents a neat style of Office Railing, with a light, fancy, self-closing gate, made to swing both ways.















1326



1327



1328

For Prices, see page 88.



1302




1303


For Prices, see page 88.


**1304**

For Price, see page 88.


**1333**

or Price, send for Estimate.





1335




1336


For Prices, Send for Estimates.



1309



1337




The above cuts represent the latest styles of angle Newels for Platform Stairs; *a a a* show the position of rail, and *b b b* show the position of string or face-board.


In order to make angle posts correctly, we require a plan of the stairs.
For Prices, see page 89.



1338




1341



1315

For Price, send for Estimate.



1339


For Prices, send for Estimate.



1340




1343



1344


For Prices, Send for Estimate.



For Prices, see page 87.



1228



1229



1226



1227

For Prices, send for Estimate.



1225



1222



1223



1224

For Prices, send for Estimates.



1209



1210



1213

For Prices, see page 88.



1214



1211



1212

For Prices, see page 88.

**1410**

Price, per foot, for Black Walnut or Cherry Straight Rail:
4-inch Rail, **25c.**; 4½-inch Rail, **27c.**
Oak or Ash: 4-inch Rail, **20c.**; 4½-inch Rail, **22c.**

Gas Figure for Newel Post, 2 ft. 10 in. high.




Fig. 4.



Fig. 3.

Gas Figure for Newel Post, 2 ft. 8 in. high.

1400 Price, per foot, for Black Walnut or Cherry Straight Rail:
 3-inch Rail, **15c.**; 3½ inch Rail, **16c.**; 4-inch Rail, **20c.**; 4½-inch Rail, **25c.**
 Grooved Rail, 1 cent per foot extra.
 Oak or Ash:
 3-inch Rail, **12c.**; 3½-inch Rail, **13c.**; 4-inch Rail, **16c.**; 4½-inch Rail, **22c.**

**1401**

Price, per foot, for Black Walnut or Cherry Straight Rail:
 3-inch Rail, **15c.**; 3½-inch Rail, **16c.**; 4-inch Rail, **25c.**; 4½-inch
 Rail, **27c.**; 5-inch Rail, **32c.**; 5½-inch Rail, **38c.**

Oak or Ash:

3-inch Rail, **12c.**; 3½-inch Rail, **13c.**; 4-inch Rail, **20c.**; 4½-inch
 Rail, **22c.**; 5-inch Rail, **27c.**; 5½-inch Rail, **32c.**



1403

Price, per foot, for Black Walnut or Cherry Straight Rail:
 3½-inch Rail, **20c.**; 4-inch Rail, **25c.**; 4½-inch Rail, **27c.**; 5-inch Rail, **32c.**;
 5½-inch Rail, **38c.**
 Oak or Ash:
 3½-inch Rail, **17c.**; 4-inch Rail, **20c.**; 4½-inch Rail, **22c.**; 5-inch Rail, **27c.**;
 5½-inch Rail, **32c.**


**1409**Price, per foot, for Black Walnut or Cherry Straight Rail, **30c.**Oak or Ash, **25c.**



1418

Price, per foot, for Black Walnut or Cherry Straight Rail, **28c.**

Oak or Ash, **24c.**



1411

Price, per foot, for Black Walnut or Cherry Straight Rail, **40c.**

Oak or Ash, **35c.**



1404

Price, per foot, for Black Walnut or Cherry Straight Rail:

3½ inch Rail, 20c.; 4 inch Rail, 25c.; 4½ inch Rail, 27c.; 5 inch Rail, 32c.; 5½ inch Rail, 38c.

(Oak, or Ash.)

3½ inch Rail, 17c.; 4 inch Rail, 20c.; 4½ inch Rail, 22c.; 5 inch Rail, 27c.; 5½ inch Rail, 32c.

**1417**

Price, per foot, for Black Walnut or Cherry Staight Rail, 30c.
Oak or Ash, 25c.



1402

Price, per foot, for Black Walnut or Cherry Straight Rail: $4\frac{1}{2}$ -in. Rail, 32c.; 5-in. Rail, 35c.; $5\frac{1}{2}$ -in. Rail, 40c.
 Ash or Oak: $4\frac{1}{2}$ -in. Rail, 27c.; 5-in. Rail, 29c.; $5\frac{1}{2}$ -in. Rail, 35c.



1688



1687

Pine or Whitewood Balusters.

| | | |
|---------|---------|------------|
| 3 x 3 - | 14-in., | 10c. each. |
| " | 16 " | 11c. " |
| " | 18 " | 12c. " |
| " | 20 " | 13c. " |

14

Price, per foot,
or Cherry S

$3\frac{3}{4}$ x 5-in. Rail, 40c.;

Black Walnut
 Light Rail:

x 5¾-in. Rail, 45c.

Pine or Whitewood Balusters.
 4 x 4—14-in., 14c. each.
 “ “ 16 “ 15c. “
 “ “ 18 “ 16c. “
 “ “ 20 “ 17c. “



1689



1690


**1405**


Price, per foot, for Black Walnut or Cherry Straight Rail:

4-inch Rail, 25c.; 4½-inch Rail, 27c.; 5-inch Rail, 32c.; 5½-inch Rail, 38c.

Ash or Oak:

4-inch Rail, 20c.; 4½-inch Rail, 22c.; 5-inch Rail, 27c.; 5½-inch Rail, 32c.






1575



1576

Level Brackets for Stairs, 4 inches wide, $\frac{1}{4}$ inch thick. Price per foot,
Pine, 6 cents. — Black Walnut, 10 cents.



1584



1585

Stair Brackets, from 8 inches to 10 inches long. Price, each,
Pine, 6 cents. — Black Walnut, 10 cents.

Fancy Turned Balusters.

We turn all our Stair Balusters 2 ft. 3½ in. and 2 ft. 7½ in. long, and keep these lengths always in stock. Are prepared to furnish, on short notice, any length or styles desired. Odd lengths cost extra.

Prices for Fancy Turned Cherry or Black Walnut Balusters, similar to Cuts on Page 67:

| | |
|-----------------------------|---------|
| 1½-inch Balusters, No. 1200 | \$ 0.10 |
| 1¾ " " " 1201 | .14 |
| 2 " " " 1201 | .14 |
| 2¼ " " " 1201 | .18 |
| 2½ " " " 1201 | .20 |

For Balusters like No. 1202 or 1203, add 2 cents each.

Prices for Oak or Ash Balusters:

| | |
|-----------------------------|---------|
| 1½-inch Balusters, No. 1200 | \$ 0.09 |
| 1¾ " " " 1201 | .12 |
| 2 " " " 1201 | .12 |
| 2¼ " " " 1201 | .15 |
| 2½ " " " 1201 | .17 |

Octagon and Fluted Balusters.

Prices for Octagon Cherry or Black Walnut Balusters, similar to Cut No. 1205, Page 67:

| | |
|-----------------------|---------|
| 1¾-inch Octagon, each | \$ 0.20 |
| 2 " " " " | .20 |
| 2¼ " " " " | .24 |
| 2½ " " " " | .26 |

Prices for Oak or Ash Balusters:

| | |
|-----------------------|---------|
| 1¾-inch Octagon, each | \$ 0.19 |
| 2 " " " " | .19 |
| 2¼ " " " " | .23 |
| 2½ " " " " | .25 |

For Fluted Balusters like No. 1204, add 1 cent each.

Fancy Turned Balusters.

Prices for Balusters, similar to Cuts on Pages 70 and 71:

| | Black Walnut or Cherry. | Oak or Ash. |
|---------------------|-------------------------|-------------|
| 1¾-inch, each | \$0.18 | \$0.17 |
| 2 " " | .18 | .17 |
| 2¼ " " | .22 | .20 |
| 2½ " " | .24 | .22 |

Fancy Turned Box Newel Posts.

Similar to Cuts on Page 56. Prices for Black Walnut, Cherry, or other hardwoods:

| | |
|-------------------------------------|--------|
| 5-inch Newel Posts, with Cap, | \$4.00 |
| 6 " " " " " " | 4.50 |
| 7 " " " " " " | 5.00 |

Plain Octagon Staved Newel Posts.

Prices for Plain Octagon Staved Newel Posts, Black Walnut, Cherry, Oak, or Ash, similar to Fig. 1302, Page 57:

| | |
|--|--------|
| 7-inch Octagon Newel Posts, with Cap | \$5.50 |
| 8 " " " " " " | 5.75 |
| 9 " " " " " " | 6.00 |
| 10 " " " " " " | 6.25 |
| 11 " " " " " " | 6.50 |
| 12 " " " " " " | 7.00 |

For Mahogany Posts, add \$4.00 each; for Raised O G Panel, add \$1.50 each.

Sunk Panel Newel Posts.

Prices for Sunk Panel Newel Posts, Fancy Moulded, Black Walnut, Cherry, or Oak, similar to Fig. 1303, on Page 57:

| | |
|---|--------|
| 8-inch Sunk Panel Posts, with Cap | \$8.50 |
| 9 " " " " " " | 9.00 |
| 10 " " " " " " | 9.50 |
| 11 " " " " " " | 10.00 |
| 12 " " " " " " | 10.50 |

For Circle-Top Panel, add \$1.25; for Posts like Fig. 1304, on Page 58, add \$8.00.

Angle Newel Posts.

Hardwood.

| | | Walnut or Cherry. | Ash or Oak. |
|-----------------------------------|--|-------------------|-------------|
| 5-inch Newel Posts, No. 1502..... | | \$5.50..... | \$5.00 |
| 5 " " " " 1503..... | | 7.00..... | 6.50 |
| 5 " " " " 1501..... | | 5.00..... | 4.50 |

The above Prices are for ordinary length.

Stairs, Stair Railing, Etc.

Pine and Whitewood Balcony Balusters and Railing of every description made to order.

We have a large stock of Newel Posts, Balusters, Stair Railing, Stairs, Brackets, etc., always on hand, which we will take pleasure in showing to our customers.

Our patterns or styles of Railing, Balusters, and Posts, a few of which may be found in this book, are the latest and most improved, such as we are furnishing in this city and throughout the Northwest. The prices given for Railing are for Straight Rail.

Directions Necessary for Ordering Stairs and Stair Railing.

When a flight of stairs is wanted, we should know the height of story from floor to floor, width of joist in second story, width and run of stairs, the size of cylinder, style of base used in the hall, with rough sketch showing about the shape of stairs wanted.

For Stair Railing, Straight Flight, we require the width of rise and step as sawed out on string-board, the number of risers, the size of cylinder from face to face of string or face board, which way it turns at head of stairs, and the number of feet of straight rail required at landing. Unless we receive plan showing otherwise, we always suppose the top riser for a straight flight of stairs to be placed at the edge or spring of cylinder.

For Circular or Winding Stairs, we should have an exact plan of stairs as built, giving the width of rise and step, the location of risers in cylinder, etc.; and when there are straight steps below or above the cylinder, as per plan Nos. 1194 and 1190, page 85, always give the distance from the first square riser to the edge or spring line of cylinder, on the face of string or face board. (See *a, b, c*, plans 1194 and 1190.) *Always write your address in full on the plans.*

MEMORANDA.

MEMORANDA.

MEMORANDA.

PALMER FULLER & CO

WHOLESALE MANUFACTURERS OF

STAIRS



Stair Railing
& Balusters

Newel Posts

Of Every Description,

— BOTH —

Plain & Fancy

— OF —

HARD & SOFT WOOD.

CORNER

West 22d & Union Sts.

Chicago.